

kauplus

BR-9109


7PCS BRAKE BLEEDER ADAPTER SET



- Designed for applications on master cylinder reservoirs from 2001 to 2023.
- Covers most of the common car models on the market.
- Adapters with a standard European air plug type, suitable for pressure bleeding tools or machines.
- Most adapters have a swivel 90° fitting to tackle limited space problems.



- 2. Hyundai, Kia all models; most models for Ford, Mitsubishi, Nissan
- 3. Honda, Acura all models
- 4. European standard; some models for Buick, Chevrolet, Ford, Mazda and Nissan
- 5. Mazda, Suzuki
- 6. Nissan Cube, Juke, Leaf, Micra, Maxima, Tiida, Versa
- 7. Chrysler, Dodge, Jeep, Ram all models





Install the arm-type adapters (For adapters NO.1,2 and 3)



reservoir cap.



2.Remove the master cylinder 3.Expand the arms on the adapter.



4.Press the adapter down into 5.Close the arms and rotate the the master cylinder reservoir filler neck.



top cover to fix the adapter.

BS-9035

UNIVERSAL LOCKOUT TOOL SET



PC-9347



- · Fork type tool pulls CV joints with hidden retaining rings & joints on 1986-current Taurus /
- With this tool the axle assembly is popped out of trans axle without damage to transmission case or inside roller bearing.
- Open rate: 48mm.







E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



PORTABLE DENT PDR LIGHT SET



www.kaupa.com.tw

BS-9157 / 9157-1 / 9157-2

- 9157 NEW DENT BOARD LIGHT SET WITH SCTION BASE
- 9157-1 NEW GENERATION PDR RGB LED LIGHT SET
- 9157-2 NEW DENT BOARD LIGHT SET WITH SCTION BASE-WHITE AND ONE YELLOW LED LIGHT COB

BS-9157 & 9157-1 & 9157-2-12V & BS-9374

- •PDR Light Check the dent when you're not sure where is the dent, it's for aligning the reflected lines of the board to a dent.
- can then work your PDR tool behind the dent to make the distorted image even or uniform again

BS-9157-1



- COLOR 5050 RGE LIGHT
- 24 KEY REMOTE CONTROLLER
- SUPER BRIGHT WITH RUNNING LOW TEMPERATURE
- LONG LIFESPAN > 50.000 HOURS
- 16 COLORS, 5 LIGHT PATTERN





BS-9374

NEW QUIK PORTABLE LED PDR LIGHT BOARD



- 18"x 7"- 3 LED ULTRA BRIGHT WITH SEPARATES SWITCHES (WHITE/YELLOW)
- HIGH QUALITY ALUMINUM BODY
- NEW DESIGN LIGHT WEIGHT SUCTION CUP
- STANDARD 12 LINKS WITH ELBOW
- ALLOW REFLECTION BOARDS REPLACEMENT
- POWERED BY 110-240V OR 12V CIGARETTE ADAPTER











GT-9615

NEW BUTANE SOLDERING IRON KIT WITH QUICK RELEASE FUNCTION



- 1. Professional 3-in-1 soldering iron / torch / hot blower with 9accessories (pointed tip, chisel tip, anvil tip, knife tip, deflector, needle tip, lead free solder, cleaning sponge and an open flame tip)
- 2. Packed in compact storage case + color gift box / blister
- 3. Quick release system with a interchangeable open flame tip
- 4. Built-in magnet in the torch body.
- 5. The cap itself can be assembled with the case and become a temporary soldering stand, cap with heat resistant stainless steel sleeve
- 6. 90W-150W equivalent electrical power
- 7. Heavy duty gas soldering iron kit for professional market
- 8. Piezo soldering iron CPSC child safety lock
- 9. With a fuel gauge to see the gas remains
- 10. Brand can be clearly shown on the blue part
- 11. For soldering, heating and heat shrinking, home improvement, hobbyist and workshop
- 12. Automotive repair rust removal, paint removal.

GT-9616

NEW BUTANE REFILLABLE HEAT GUN

- 1. Piezo ignition with flameless hot air
- 2. A portable hot air generator for automotive repair, makers and hobbyists
- 3. With child safety lock for children safety
- 4. Designed with an innovative system for fast heat up to 500°C within 15 seconds. It could help to improve the efficiency of your projects and save time.

 5. Continuous heat output for 30 minutes (full refill)
- 6. Heat sink cage design for protection and safety
- 7. Hand free design and different nozzles available
- 8. Safe Refill System® for consumer safety Magazine Style
- 9. Ideal for shrink tubing/wrapping, removing paint/floor tiles, bending plastic, thawing pipes, epoxy resin & crafts, etc.



MODEL		GT-9615	GT-9616
Burning Time (min)		45~60	30
Gas Volume (mL)		25	30
Fuel Type		BUTANE (Normal lighter gas)	BUTANE (Normal lighter gas)
Flame Temperature(°C)		1300	N/A
Soldering Temperature(°C)		450	N/A
Hot Air Temperature(°C)		600	600











SB-9340

1/2" 7PCS 150MML AIR IMPACT HEX BIT SOCKET SET H5-H6-H7-H8-H10-H12-H14



SB-9340-1

1/2" 7PCS 150MML AIR IMPACT HEX BIT SOCKET SET H4-H5-H6-H8-H10-H12-H14



WR-9394

1/4" DRIVER 100TEETH MINI SWIVEL RATCHET-100MML



WR-9394H

1/4" HEX DRIVER 100TEETH MINI SWIVEL RATCHET-100MML







