



MASTER HOT GLUE PULLER SET



www.kaupa.com.tw

BS-9393

- Mini dent puller, sliding hammer, and T-handle for pulling a variety of dents
- 8 sizes of pull-tabs (2 each) for customized fit
- Knock-down tool with shaping points for different-size dings
- 10 glue sticks, glue release agent, mini scrapers, hot glue gun
- Packed in organized storage case



BS-9393 & BS-9452

• Master Automotive Paintless Dent Repair Kit used a special technique to repair dents in convenient way, with high molecular release agent Resin. Our repair kit release dents in your car quickly and easily without damaging its metal and paint. The operation is very easy. Read the instruction manual carefully before repairing. All marks are almost invisible after repairing.

BS-9452



• Paintless Dent Repair Kit fixes minor dents and dings on body panels without body filler or repainting. The dent repair system uses specialized hot glue to adhere to body surfaces without damaging paint. A complete set of pullers delivers exactly the right amount of force to pull out large or small dents. The kit comes with 24 various size pull-tabs for repairing a variety of dents. The kit also includes glue release agent and scrapers for complete clean-up.

- Squeeze puller, slide hammer, and T-handle for pulling a variety of dents
- 12 sizes of pull-tabs (2 each) for customized fit
- Knock-down tool with shaping points for different-size dings
- 15 glue sticks, glue release agent, scrapers
- Packed in organized storage case

KAUPA
APP



Android



iOS



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD


GT-9632

3600W PORTABLE POWER STATION



- (1) Is a product that complies with the EU standard for AC power usage.
- (2) Rated AC output power is 3600W, AC input power is 1800W, with bidirectional inverter fast charging function.
- (3) LFP04 Battery with 3072wh capacity, suitable for emergency disaster relief, field work and other occasions.
- (4) With five 120V AC outputs: 2*30A and 3*20A ports. 2* USB-A outputs in line with QC3.0 standards, 2* PD3.0 (100W) compliant USB-C outputs, 2* DC5521 outputs and one cigarette lighter output, one RV (360W) output, built-in LED ambient light;
- (5) Support for intelligent parallel, intelligent parallel power, and UPS function. Support 120V AC direct charging.
- (6) Support DC PV series and parallel 18V-150V MAX:1500W
- (7) Charging with DC 12V car charger to the product charging.
- (8) Work Temperature : -10 ~ 40°C
- (9) Storage Temperature : -20 ~ 45°C.
- (10) Net Weight : about 45 KG.
- (11) Measurement : 561*368*406mm.

Application & Feature:



GT-9633

JUMP STARTER BATTERY POWER BANK



FEATURE:

- Can jump start below 5.0L(5000cc) gas engine and below 3.0L(3000cc) diesel engine
- Support the charging of digital products such as mobile phones and iPads, etc.
- LED flashlight function.
- Support wireless charging 15W.

SPECIFICATION:

- Capacity: 16000mAh
- USB output: 5V-2A, 9V-2A
- Starting current: 500A
- Type C input: 5V-2A, 9V-2A
- Wireless output : 5V-3A
- Peak current: 2000A



GT-9634

HEAVY DUTY 12/24V BATTER BOOSTER MULT-FUNCTION PORTABLE CAR JUMP STARTER WITH TIRE INFLATOR PUMP



FEATURE:

- Can jump start below 6.0L(6000 cc) gas engine and below 4.0L(4000cc) diesel engine
- Support the charging of digital products such as mobile phones and iPads, etc.
- LED flashlight function.
- LCD digital show
- Inflate the car tire, motorcycle tires, bicycle tires, balls or toys for inflatable purposes

SPECIFICATION:

- Capacity:16,000mAh
- USB output: 5V-2A, 9V/2A
- Air pressure:150PSI
- Type C input/output: PD 60W
- Peak current: 2000A
- Air pump type:25 cylinders



GT-9636

TAP DIE HOLDER SOCKET 25MM/38MM/50MM



- SIZE:
3/8"~25MM*63MM
L~1/2"~38MM*78MM
L~1/2"~50MM*100MM
L, 2.5,3&4MM HEX KEY

ST-9468

62PCS- 1/4" & 3/8" & 1/2" BIT SOCKET SET



- 1/4"~37L:
T6,T7,T8,T9,T10,T15,T20,T25,T27,T30
T6H,T7H,T8H,T9H,T10H,
T15H,,T20H,T25H,T27H,T30H
TP8,TP10,TP15,TP20,TP25,TP27,TP30
- 3/8"~48L:
T40,T45,T47,T50,T55
T40H,T45H,T47H,T50H,T55H
TP40,TP45,TP50,TP55
- 1/2"~55L:
TP60,TP70,T60H,T70H,TP60
- E SOCKET:
1/4"~E4,E5,E6,E7,E8
3/8"~E10,E11,E12,E14,E16
1/2"~E18,E20,E22,E24

ST-9471

61PCS-3/8"DR SOCKET SET



- 3/8" SHORT SOCKET:
6,7,8,9,10,11,12,13,14,15,
16,17,18,19,20,21,22,24
- 3/8" LONG SOCKET:
8,9,10,11,12,13,14,15,17,19
- 3/8" SPARK PLUG SOCKET:
16,21
- 3/8"~48L:
H3,H4,H5,H6,H7,H8,H10
SL5.5,SL7,SL8
PH1,PH2,PH3, PZ1,PZ2,PZ3
T15,T20,T25,T27,T30,T40,T45,T50,T55
- 3/8" BIT AD
- 3/8" RATCHET
- 3/8" EXTENSION:75MM,250MM
- 3/8" UNIVERSAL JOINT
- 3/8" T-BAR ADAPTER

ST-9472

84PCS-1/4" & 3/8" & 1/2" MASTER HEX & TORX BIT SOCKET SET (SAE & METRIC)



- 1/4"~37L:
T8,T10,T15,T20,T25,T27
T8H,T10H,T15H,T20H,T25H,T27H,T30H,
H2.5,H3,H4,H5,H6
H1/8,H9/64,H5/32,H3/16,H7/32,H1/4
- 3/8"~48L:
T30,T40,T45,T50,T55
T40H,T45H,T50H,T55H
H6,H7,H8,H9,H10
H7/32,H5/16,H3/8
- 1/2"~55L: T60,T60H
H10,H12,H14,H17,H19
H7/16,H1/2,H9/16,H5/8,H3/4
- 1/4"~150L:
T8,T10,T15,T20,T25,T27,T30,T40
WH4,WH5,WH6,WH7,WH8,WH9,WH10
- E SOCKET:
1/4"~E4,E5,E6,E7,E8
3/8"~E10,E12,E14,E16
1/2"~E18,E20,E22,E24

SB-9318

7PCS DR. 1/4" & 3/8" SCREW EXTRACTOR SOCKET SET
3-4-5-6-8-10-12MM



• SIZE:
1/4" X 3 / 4 / 5 / 6 MM
3/8" X 8 / 10 / 12 MM

SB-9347

31PCS-1/4"DR " MINI" RATCHET SPANNER SET



SIZE CONTENT:
• 10PCS SOCKET-5,6,7,8,9,10,11,12,13,14
• 20PCS BITS *20L:
• PH0,PH1,PH2,PH2,PZ0,
• PZ1,PZ2,0.5*4.0,1.0*6.0,
• 3MM,4MM,5MM,6MM,
• TX10,TX15,TX20,TX25,TX27,
• TX30,TX40,
• 1PCS -MINI RATCHET SPANNER
(11*6PT-1/4" * BIT-110L)

TT-9293

ENGINE TIMING KIT FOR FORD ECOBOOST(FOX) ENGINE



• SUITABLE FOR FORD LATEST VERSION 1.0L ECOBOOST PETROL ENGINE, OLD ENGINE IS OIL WETTED CAM BELT DRIVE, THE LATEST IS CHAIN DRIVEN, SO THE THE TIMING TOOL IS DIFFERENT, SPECIALLY DESIGN FOR POST 2018 CHAIN DRIVEN ENGINE.
• APPLICATIONS:
FORD: FIESTA (19-22), FOCUS (18-22), C-MAX (18-22), GRAND C-MAX (18-22), PUMA (19-22)
• ENGINE CODES:
B3DA, B3GA, B3GB, B7DA, B7DC, B7JA, B7JB, BZJA, M0DC, M0JA, M0JB
• OEM NO.:
VARIABLE CAMSHAFT TIMING TOOL - EXHAUST-303-1661-1
VARIABLE CAMSHAFT TIMING TOOL - INLET-303-1661-2
CAMSHAFT SPROCKET SOCKET 22MM 16PT-303-1661-3
FLYWHEEL LOCKING TOOL-303-1643
FRONT COVER OIL SEAL INSTALLER-303-1603
CRANKSHAFT TIMING PIN-303-1604
CRANKSHAFT FRONT PULLEY TIMING PIN-303-732
VCT SETTING PIN 6MM-310-018
TENSIONER LOCKING PIN 4MM-0132-AB

TT-9311

CAMSHAFT TIMING TOOL KIT FOR JAGUAR LAND ROVER EVOQUE 2.0T ENGINE



• VEHICLE APPLICATIONS INCLUDE:
JAGUAR F PACE, XE, XF (2015 ONWARDS).
• LAND ROVER DISCOVERY SPORT, RANGE ROVER EVOQUE (2015 ONWARDS)
• FOR LOCKING THE ENGINE INTO THE TIMED POSITION SO THE ENGINE TIMING CHAIN CAN BE REMOVED/REPLACED AND THE ENGINE TIMING CHECKED.
• TOOL SHOULD BE USED WITH A FUEL PUMP LOCKING TOOL
• ENGINE CODES:
AJ-200D, 204DT, AJ200D, AJ200, 204DTD
• OEM NO.:
JLR-303-1635, JLR-303-1636, JLR-303-1630



SB-9349

1/2" BIT SOCKET TORX 32PCS TAMPER PROOF (TORX TAMPER PROOF)



- 55mm(L): T20-T25-T27-T30-T40-T45-T50-T55-T60-T70
- 100mm(L): T20-T25-T27-T30-T40-T45-T50-T55-T60-T70
- 140mm(L): T40-T45-T50-T55-T60-T70
- 200mm(L): T40-T45-T50-T55-T60-T70

SB-9350

1/2" BIT SOCKET HEX 30PCS TAMPER PROOF (HEX TAMPER PROOF)



- 55mm(L): H5-H6-H7-H8-H10-H12-H14-H17-H19
- 100mm(L): H5-H6-H7-H8-H10-H11-H12-H13
- 140mm(L): H5-H6-H7-H8-H10-H12-H14
- 200mm(L): H5-H6-H7-H8-H10-H12

SB-9351

1/2" BIT SOCKET M 26PCS TAMPER PROOF (SPLINE TAMPER PROOF)



- 55mm(L): M5-M6-M8-M9-M10-M12-M14-M16
- 100mm(L): M5-M6-M8-M9-M10-M12-M14
- 140mm(L): M5-M6-M8-M9-M10-M12-M14
- 200mm(L): M8-M10-M12-M14

SB-9352

1/2" BIT SOCKET M/HEX/TORX/RM 36PCS 55L SET



- 55mm(L): T20-T25-T27-T30-T40-T45-T50-T55-T60-T70
- 55mm(L): H5-H6-H7-H8-H10-H12-H14-H17-H19
- 55mm(L): M5-M6-M8-M9-M10-M12-M14-M16
- 55mm(L): R5-R6-R7-R8-R9-R10-R11-R12-R13-R14



SB-9353

1/2" BIT SOCKET M/HEX/TORX/RM 22PCS 200L SET



- 200mm(L): T40-T45-T50-T55-T60-T70
- 200mm(L): M8-M10-M12-M14
- 200mm(L): H5-H6-H7-H8-H10-H12
- 200mm(L): R8-R9-R10-R12-R13-R14

SB-9354

1/2" 6PT BIT SOCKET TORX PLUS 10PCS (TORX PLUS 6 PT)



- 55mm(L): IP20-IP25-IP27-IP30-IP40-IP45-IP50-IP55-IP60-IP70

SB-9355

1/2" 5PT BIT SOCKET TORX PLUS 7PCS (TORX PLUS 5 PT)



- 55mm(L): IPR10-IPR15-IPR20-IPR25-IPR27-IPR30-IPR40

SB-9356

1/4"&3/8"&1/2" BIT SOCKET TORX PLUS 14PCS (TORX PLUS)



- 1/4"EP4-EP5-EP6-EP7-EP8
- 3/8"EP10-EP11-EP12-EP14-E16
- 1/2"EP18-EP20-EP22-EP24





www.kaupa.com.tw



SB-9357

3/8" DR. NANO BIT SOCKET SET

T70-T60-T55-T50-T47-T45-T40-T30-T27-T25



SB-9358

1EXTRA SHORT BIT SOCKET

H17-H14-H12-H10-H8-H7-H6-H5-H4-H3



SB-9359

EXTRA SHORT BIT SOCKET

T60-T55-T50-T45-T40-T30-T27-T25-T20-T15-T10



SB-9360

EXTRA SHORT BIT SOCKET

M18-M16-M14-M12-M10-M8-M6-M5-M4



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD

ST-9464

1/2"DR 25PCS SOCKET SET



- 1/2" SHORT SOCKET: 8,9,10,11,12,13,14, 15,16,17,18,19,20,21,22,23,24,27,30,32
- 1/2" EXTENSION BAR: 125MM / 250MM
- 1/2"DR RATCHET HANDLE
- 1/2" UNIVERSAL JOINT
- 1/2" DR SLIDING BAR :10"

ST-9465

1/4" & 3/8" 30PCS SOCKET BIT SET



- 1/4" SHORT SOCKET: 6,7,8,9,1/4", 9/32", 5/16", 11/32"
- 3/8" SHORT SOCKET: 13,14,15,16,17,18,19,1/2", 9/16", 5/8", 11/16", 3/4"
- 3/8" LONG SOCKET: 10,11,12,3/8", 7/16"
- 3/8" EXTENSION BAR: 75MM
- 3/8" DR RATCHET HANDLE
- 3/8" SPARK PLUG SOCKET: 5/8", 13/16"
- ADAPTER: 3/8" * 1/4"

ST-9466

55PCS- 3/8" 6PT TYPE SOCKET BIT SET



- 3/8"(6PT) SHORT SOCKET: 8,9,10,11,12,13,14,15,16,17,18,19MM 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- 3/8"(6PT) LONG SOCKET: 8,9,10,11,12,13,14,15,16,17,18,19MM 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
- BITS: T10,T15,T20,T25,T27,T30,T40
- ADAPTER: 3/8" * 1/4"
- 3/8" EXTENSION BAR: 75MM / 150MM
- 3/8"DR 90T RATCHET HANDLE
- 3/8" UNIVERSAL JOINT

ST-9467

65PCS- 1/4" 6PT TYPE SOCKET BIT SET



- 1/4"(6PT) SHORT SOCKET: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 1/4"(6PT) LONG SOCKET: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14MM 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- BITS: PH1,2,3 ; T8,10,15,20, FD1/8, 3/16, 1/4
- ADAPTER: 1/4"
- SPINNER HANDLE: 1/4"
- 1/4" EXTENSION BAR: 75MM / 150MM
- 1/4"DR RATCHET HANDLE
- 1/4" UNIVERSAL JOINT