

BS-9506


TELESCOPE HAMMER 49CM



BS-9507

TELESCOPE HAMMER 41CM


METRIC THREAD



BS-9508

TELESCOPE HAMMER 32CM

METRIC THREAD



OF-9084A

OIL DRAIN PLUG-AMERICAN CARS



Material: Aluminum

- Loosening and tightening of plastic drain plugs.
- Suitable for oil drain plugs in plastic oil pans.
- The special shapes on the adapter securely fit specialized vehicle drain plugs without causing damage.

OF-9084

OIL DRAIN PLUG-EUROPEAN CARS



BS-9542

ALUMINUM DENT PULL RING KIT 2.0MM STRAIGHT



BS-9543

ALUMINUM DENT PULL RING KIT 2.0MM TWISTED



OI-9163

MAGNETIC FUNNEL HOLDER



- Two strong neodymium magnets hold the funnel on ferrous metal surfaces without slipping.
- Funnel holder accommodates various style and size funnels and stores the funnel without a mess.
- Simply grab and twist the holder to break loose from the surface to pour out any excess fluids.
- Funnel sits slightly angled so it will clear any mounting surface.
- Made of polypropylene for durability.

OI-9164

12PCS COOLING SYSTEM FLUSHING TOOL

- This cooling system flushing tool is able to generate powerful pulses to increase the cleaning efficiency.
- By connecting to a garden hose and an air compressor, flushing the cooling system becomes as easy as a breeze.
- This tool aims to clean the radiator side, the engine side, and the heater core side in the cooling system.
- Several adapters are included for connecting to various parts in the cooling system, including a big conical adapter for radiator filler neck or upper hose, and a small conical adapter to connect to heater core inlet tube.



NO.	Adaptor sizes
OI-9164-30	38, 1/4"PS
OI-9164-27	35, 1/4"PS
OI-9164-32	32, 1/4"PS
OI-9164-33	25, 1/4"PS
OI-9164-34	32, 25, 1/4"PS
OI-9164-35	38, 35, 1/4"PS
OI-9164-36	22, 1/4"PS
OI-9164-37	22, 16, 1/4"PS

OI-9165

OIL FUNNEL FILLING KIT

Wide mouth opening for faster, spill-proof oil filling.

Ergonomic grip.

Built-in strainer for filtering liquids.

Patented design on bleed tube helps prevent air locks.


45° elbow for hard to reach filling tubes.

6color-coded adapters to fit various vehicles.




MAZDA SUBARU 45°elbow TOYOTA HONDA BENZ

Application:



CAR



TRUCK



KAUPA
APP



Android




IOS



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD

OI-9166 FUNNEL HOLDER



01

GOOD FOR THE ENVIRONMENT

Prevents oil & chemical leaks when storing funnels.

02

STAY ORGANIZED

Keeps mechanical shops organized and clean.

03

SAVE ON COST

Recycle and reuse your drained liquids.


04

DIVERSIFIED USES

Apply to both funnel and supply hose.

GT-9692 5 IN 1 PAINT STIRRER

Thickness	6.6mm
Material	Plastic
Weight	51g



Operation

1. Heavy Duty Stir Stick
It's firm handle helps you prepare and mix paint cans.



2. Micro Roller Cleaner
It's key hole cleans mini-rollers in a snap



3. 1 Qt. Spatula
The short notch helps get every drop of paint.



4. 1 Gal. Spatula
Flip the handle to the longer notch and get every drop of paint from gallon cans.



5. Can Lip Cleaner
The short stub helps remove paint from the lip of the can.



KAUPA
APP



Android



IOS



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD

WR-9147-3

1/2" 72 TEETH DR
DIGITAL TORQUE WRENCH



Display Range: 70-350 Nm
Guaranteed Accuracy: $\pm 4\%$
Tool length : 570 mm

Specification:
Bright Led: 12 LEDS(2 Red+10 Green);
Length: 650mm
Max .Torque: 300 N-m;
Torque Measuring range: 15-300 N-m
Accuracy Guaranteed range:60-300 N-m
Accuracy: $\pm 2\%$ (CW)/ $\pm 3\%$ (CCW)
Data Memory Size: 250/communication: YES

WR-9386

1/2" 36T DIGITAL TORQUE
WRENCH 68-340Nm



WR-9388-1

1/2" 36T DIGITAL TORQUE
WRENCH 15-300Nm



Specification:
Accuracy+/-2%
Display Range 6.8-340Nm(5.0-250.9Lb-ft)
Alarm Range 17-340Nm(12.5-250.9Lb-ft)
Accuracy Range 68-340Nm (50.1-250.9Lb-ft)
Resolution 0.1Nm
Preset 10
Memory 100 (10 memories for each preset)
Length(mm)650
Backlight Yes
Alert LED & Buzzer
Battery 3pcs*AAA
Auto shut off 60seconds



WR-9406

3/8" DR. 10PCS RATCHET TORQUE SET -METRIC
10-11-12-13-14-15-16-17-18-19MM



WR-9406-1

3/8" DR. 8PCS RATCHET TORQUE SET -SAE
5/16,3/8,7/16,1/2,9/16,5/8,11/16,3/4



PC-9378

FOOT ACTUATED AIR
HYDRAULIC PUMP 790 BAR

