

KAUPA MONTHLY (MARCH/2017) BROCHURE- PRODUCT INDEX

PAGE1:

BS-0062-1-A DOOR JAMMER

BS-9081A-P MINI PULLER WITH 12PCS ALUMINUM CONNECTION TABS-POLISH FINISH

BS-9013D-BK 10PCS GLUE ROD-BLACK

BS-9281 T-HANDLE HANDLED WIRE STARTER TOOL

BS-9294 11PCS SCRAPER TOOL

BS-9229 WINDSHIELD LOCKING

PAGE2:

GT-9390 EAR MUFF

GT-9391 FACE SHIELD

GT-9392 SAFETY GLASSES

GT-9393 SAFETY GOGGLES

GT-9394 AUTO DARKENING

PAGE3:

OI-9096 STACKING ORGANIZER TOOL BOX SET

OI-9096D TRANSPARENT STACKING ORGANIZER TOOL BOX

TS-9132 AIRVAC COOLANT REFILLER WITH FLUID TANK

OI-9117 COOLING SYSTEM FLUSHER

OI-9070 1L UNIVERSAL VACUUM BRAKE FLUID BLEEDER SET

PAGE4:

WR-9295 1/2" DIGITAL TORQUE ADAPTER & ANGLE FUNCTION ADAPTER - 0~200Nm



www.kaupa.com.tw

BS-0062-1-A

DOOR JAMMER



BS-9081A-P

MINI PULLER WITH 12PCS
ALUMINUM CONNECTION
TABS-POLISH FINISH



BS-9013D-BK

10PCS BLACK GLUE ROD



BS-9281

T-HANDLE HANDLED WIRE
STARTER TOOL



BS-9294

11PCS SCRAPER TOOL



BS-9229

WINDSHIELD LOCKING



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



kaupa

www.kaupa.com.tw

GT-9390

EAR MUFF



GT-9391

FACE SHIELD



GT-9392

SAFETY GLASSES



GT-9393

SAFETY GOGGLES



GT-9394

AUTO DARKENING



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw





www.kaupa.com.tw

OI-9096 / OI-9096D

9096 12V PRESSURE BRAKE FLUID BLEEDER
9096-D 12V PRESSURE BRAKE BLEEDER



- With European and universal adaptors
- Suitable for clutch bleed as well as brake bleed.
- 5 litre capacity tank.
- Dimension: 365x300x820 m/m
- Capacity: 5L
- Weight: 13.36kgs
- Power: DC12V



9096-D



(Optional)

TS-9132

AIRVAC COOLANT REFILLER WITH FLUID TANK



- One switch design to control vacuum and refill.
- Built in fluid tank, no mess with external tank.
- Dimension: 300x300x420mm
- Weight: 3.98kg • Quantity: 5L

OI-9117

COOLING SYSTEM FLUSHER



OI-9070

1L UNIVERSAL VACUUM BRAKE FLUID BLEEDER SET



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw





www.kaupa.com.tw

WR-9295

1/2" DIGITAL TORQUE ADAPTER & ANGLE FUNCTION ADAPTER - 40~200Nm



PRODUCT DESCRIPTION:

- Torque and Angle mode provide the most accurate and fastest way to achieve torque plus angle.
- Measure angle directly.
- 10 pre-sets (adjustable), preset frequently used torque reading on the digital torque wrench directly.
- Convenience and easy use.
- Includes storage case.
- Complies with ISO®-6789-2003 and EMC Directive 2004/108/EC Standards.
- Country of Origin: Taiwan

FEATURES:

- Angle range: 0-360°
- Accuracy: +/-2%
- Mode: Peak/Trace
- Preset: 10
- Backlight: No
- Unit: Nm, lb-ft, kg-m
- Alert modes: LED, audible
- Battery: AA*(2 PCS)
- Auto shut off: 150secs

PRODUCT SPECIFICATIONS:

Model No.	WR-9295
Drive	1/2"
Accuracy Range	40-200Nm
Weight	0.3kg

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw

