

KAUPA MONTHLY (APRIL/2018) BROCHURE- PRODUCT INDEX

PAGE1:

BE-9051 350PCE 1.5 SUPERSEAL AUTO CONNECTOR WIRING KIT

BE-9053 INFRARED THERMOMETER

BE-9054 VALUABLE INFRARED THERMOMETER

BE-9055 VALUABLE INFRARED THERMOMETER

PAGE2:

ET-9111 CYLINDER LINER EXTRACTOR TOOL

ET-9287 INJECTOR REMOVAL KIT FOR BMW < HOT PRODUCT >

ET-9286 TRANSMISSION OIL COOLER LINE DISCONNECT FOR FORD

ET-9290 8PCS NYLON OIL DRAIN PLUGS FOR AUDI AND VW

ET-9291 9PCS NYLON OIL DRAIN PLUGS FOR AUDI AND VW

PAGE3:

ST-9364 UNIVERSAL GO-THROUGH RATCHET & QUICK SWIVEL T-HANDLE SET

ST-9369 1/2" DR. 3PCS 17-19-21MM 130L IMPACT SOCKET SET

ST-9368 3/8" DR. 6PT 5PCS 8-10-12-13-14MM 120L SOCKET SET

ST-9372 AIR IMPACT SOCKET SET

WR-9319 1/2" DR. TORQUE WRENCH < HOT PRODUCT >

Display Range:40-210 NM(33.2-159 FT/LB)

Guaranteed Accuracy: ±4%

PAGE4: < HOT PRODUCT >

TT-9251 C ENGINE TIMING KIT-VAUXHALL/OPEL 1.0&4.0 PETROL

TT-9252 CRANKSHAFT PULLEY TOOL FOR BMW N47

TT-9209 BMW (N62/N62TU/N73) CAMCARRIER TOOL SET

PC-9314 F.F. TYPE FRONT HUB PULLER WITH IMPACT HAMMER

PC-9315 4PCS WHEEL SEPARATOR SET



www.kaupa.com.tw

BE-9051

350PCE 1.5 SUPERSEAL AUTO CONNECTOR
WIRING KIT



BE-9053

INFRARED THERMOMETER



- Sensor: Thermopile (6-14 μ m)
- Range: -30°C to 550°C (-22°F to 1022°F)
- Resolution: 0.5 / 1 °C (auto), 1°F

BE-9054

VALUABLE INFRARED THERMOMETER



- Measurement Range: -60 to +550 °C (-76 to +1022 °F)
- Operating Range: 0~50°C (32~122°F)

BE-9055

VALUABLE INFRARED THERMOMETER



- Measurement Range: -60 to +550 °C (-76 to +1022 °F)
- Operating Range: 0~50°C (32~122°F)

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS





www.kaupa.com.tw

ET-9111

CYLINDER LINER EXTRACTOR TOOL

- Cylinder liner puller complete with support brace.
- Wet heavy-vehicle (e.g. Mercedes Benz, MAN) cylinder liners, automobile and stationary-engine liners, and other parts may be extracted using this puller
- Operation: The spindle of the counter-support brace is screwed into the clamping nut of the puller, and the puller inserted into the liner. The counter-support brace is placed on to the cylinder block. Due to the newly-developed spreading system, when the spindle is turned, all three jaws spread quickly and without difficulty, until they are firmly seated beneath the edge of the liner. Then the nut of the counter-support brace is tightened.
- Suitable for cylinder liner Ø 60 - 160 mm



ET-9287

INJECTOR REMOVAL KIT FOR BMW

- Allows easy removal of the injectors and is required for installing the fuel injector pump
- Suitable for the following engines:
BMW N54 (6 cylinder) - N63 (V8)
Mini N14 (4 cylinder) - N18 (4 cylinder)



ET-9286

TRANSMISSION OIL COOLER LINE DISCONNECT FOR FORD



- Two Sizes, 3/8" and 1/2" are Designed to Disconnect Transmission Cooler Lines.

ET-9290

8PCS NYLON OIL DRAIN PLUGS FOR AUDI AND VW



- Nylon oil drain plug used on VAG models.
- Also used in the engine gasket head cover on some VAG models.
- Drain plug should be changed each time after oil change.
- Includes a handy drive and a H-shaped bit.

No.	Description	Qty
1	Handle with hex	1
2	H-shaped Bit	1
3	VAG drain plug	6

ET-9291

9PCS NYLON OIL DRAIN PLUGS FOR AUDI AND VW



- Nylon oil drain plug used on VAG models.
- Also used in the engine gasket head cover on some VAG models.
- Drain plug should be changed each time after oil change.
- Drain plugs are designed with internal Torx® for force/torque to be evenly distributed.
- Includes a handy drive, one T40 Torx® bit, and one H-shaped bit for original drain plugs

No.	Description	Qty
1	Handle with hex	1
2	H-shaped Bit	1
3	T40 Bit	1
4	VAG drain plug with T40	6

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS





www.kaupa.com.tw

ST-9364

UNIVERSAL GO-THROUGH RATCHET & QUICK SWIVEL T-HANDLE SET

• Size: 1/4"DR. 3/8"DR. 1/2"DR.

Feature:

- The universal go-through ratchet can be converted into quick swivel T-handle.
- Easy to use regardless of the length of thread protruding through the nut.
- Suitable for any space
- 1/4" UNIVERSAL GO-THROUGH RATCHET (L:165)
- Hexagon Shaft Bar (H13X120L)

- 1/4"(H13mm) GEAR SOCKETS (4.5-13) 11PCS:
- 4.5mm(3/16"), 5mm(13/64"), 5.5mm(7/32"), 6mm(1/4"), 7mm(9/32"), 8mm(5/16"), 9mm(11/32"), 10mm(3/8"), 11mm(7/16"), 12mm(15/32"), 13mm(1/2")

- Square Quick Adaptor (1/4"X13mm)
- Bit Holder (1/4"X13mm)
- Hexagon Socket Adaptor M13mmXH13mm
- 1/4" Quick Adaptor (1/4"X1/4")
- 1/4" HEX.BIT(18PCS): SL4.SL5.SL6 / PH1.PH2.PH3 / PZ1.PZ2.PZ3 / H3.H4.H5.H6 / T10.T15.T20.T25.T30



ST-9369

1/2" DR. 3PCS 17-19-21MM 130L IMPACT SOCKET SET

- Material: CR-Mo Steel
PH Black Finish
- Length:130mm
- SIZE:17-19-21mm
- 1/2"Dr.
- For Protect your wheel



ST-9368

3/8" DR. 6PT 5PCS 8-10-12-13-14MM 120L SOCKET SET



ST-9372

AIR IMPACT SOCKET SET SIZE: 17-19-21 mm



WR-9319

1/2" DR. TORQUE WRENCH



- Display Range:40-210 NM(33.2-159 FT/LB)
- Guaranteed Accuracy: ±4%

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



KAUPA
APP

Android



IOS





www.kaupa.com.tw

TT-9251

ENGINE TIMING KIT-VAUXHALL/OPEL 1.0&4.0 PETROL

- Timing kit Vauxhall/Opel 1.0/1.4 for locking both camshafts in a timed position while the timing chain is being replaced
- Application: Vauxhall/Opel Adam Astra-K, Corsa-E Turbo SIDI, EcoFlex, Turbo
- Engine codes: 1.0lt LE1/B10XFL, B10XFT, B10XHT AND 1.4LT LV7/B14XE, LE2/B14XHL, B14XHT
- Equivalent to OEM EN-51367, EN-51298, EN-51632
- Year 2014-2017



TT-9252

CRANKSHAFT PULLEY TOOL FOR BMW N47 BGS9015

- Allows easy and gentle dismantling of the pulley bolts
- Suitable for BMW N47 engines



TT-9209

BMW (N62/N62TU/N73) CAMCARRIER TOOL SET



PC-9314

F.F. TYPE FRONT HUB PULLER WITH IMPACT HAMMER



- Including: 175mm(L) Palm style Bottom (Drop Forged)
- 570mm(L) Carbon steel Shank & 10 LBS Impact Hammer

PC-9315

4PCS WHEEL SEPARATOR SET



- Material: S45C Steel Black finish
- 1/2"Dr.Drive

Feature:

- Makes removing stuck or frozen dual steel wheels quick and easy. Ideal for use on nearly any truck, bus, van or trailer that has dual steel wheels.
- Forcing Screw and Pullers have powerful 1-1/8" diameter x 11 threads for years of reliable service.
- Includes two pullers to cover large truck, trailer and smaller light truck dual wheel applications
- Components have black oxide or bright nickel plating finish for rust and corrosion resistance

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw

