KAUPA MONTHLY (SEP/2018) BROCHURE- PRODUCT INDEX

PAGE1: < HOT PRODUCT>

GT-9451 20W LED COB SLIM WORK LIGHT-ALL WHITE LIGHT

GT-9452 10W LED COB SLIM WORK LIGHT-ALL WHITE LIGHT+YELLOW LIGHT

GT-9451 10W LED COB SLIM WORK LIGHT-ALL WHITE LIGHT+PURPLE UV LIGHT

GT-9451 10W LED COB SLIM WORK LIGHT-ALL WHITE LIGHT+RED LIGHT FLASH

PAGE2:

OI-9031 1L SODA BLASTING GUN SET

OI-9120 FUEL SYSTEM REPAIR KIT < HOT PRODUCT>

OI-9119 MANUAL BRAKE BLEEDER FOR MOTORBIKE WITH 4PCS ADAPTORS

OI-9114-E NEW UNIVERSAL OIL DRAIN PLUG < HOT PRODUCT>

PAGE3:

PC-9321 1/2" DR. 21MM SHOCK ABSORBER HOT PRODUCT>

PC-9294 14PCS SHOCK ABSORBER TOOL KIT

PC-9290 REAR AXLE BUSH INSERTION TOOL

SB-9271 3PCS SPLIT RIM SOCKET BIT SET

SB-9272 BUMPER TUBULAR SOCKET WRENCH

PAGE4: < HOT PRODUCT>

ET-9297 GLOW PLUG SHAFT REAMER SET

ET-9298 VOLKSWAGEN AUDI IGNITION COIL PULLER

ET-9299 CLIP WRENCH RELEASE TOOL

ET-9300 VW AUDI T10303 DSG CLUTCH RETAINING BAR ON MULTIPLE CLUTCH TRANSMISSIONS



GT-9451 / 9452 / 9453 / 9454

9451 20W LED COB SLIM WORK LIGHT *ALL WHITE LIGHT

9452 10W LED COB SLIM WORK LIGHT *ALL WHITE LIGHT+YELLOW LIGHT
9453 10W LED COB SLIM WORK LIGHT *ALL WHITE LIGHT+PURPLE UV LIGHT
9454 10W LED COB SLIM WORK LIGHT *ALL WHITE LIGHT+RED LIGHT FLASH



	LED Max Power	Charging Adaptor Output	Charging Time	Active Time
GT-9451	880 Lumens.	5.0V 2000 mAh.	3.5 hours	3 hours+.
GT-9452	620 Lumens white, 600 Lumens yellow, 770 Lumens mixed.	5.0V 2000 mAh.	3.5 hours	2 hours+.
GT-9453	620 Lumens.	5.0V 2000 mAh.	3.5 hours	3 hours+.
GT-9454	620 Lumens.	5.0V 2000 mAh.	3.5 hours	3 hours+.

KAUPA INTERNATIONAL CO.,LTD









OI-9131 / 9131B

9131 1L SODA BLASTING GUN SET 9131B SODA BLASTING GUN



- Feature:
 Easy replacement of nozzle and hose
- Easy replacement of nozzle and hose
 Fluid throughflow can be easily regulated by removal
 Including nozzle and cavity tube
 Including refilable container with 1.01 volume
 Handle, trigger and valve made of composite plastic
 For blasting with NaHCO3 (sodium bicarbonate)
 Temperature range ?10?C to +80?C
 Working pressure (bar): 6~8
 Air requirement: 180/min

- Air requirement: 180l/min

OI-9119

MANUAL BRAKE BLEEDER FOR MOTORBIKE WITH 4PCS ADAPTORS



OI-9120

FUEL SYSTEM REPAIR KIT



- An assortment of fuel connectors, nylon pipe, rubber hose and hose clips in a organized kit.
- Includes

Male fuel pipe connectors x25, Double ended connectors x10
Elbow connectors x15, Straight couplings x9, Straight connectors x6
Nylon pipe: 2x10x340mm, 6x8x340mm, 2x6x340mm
Rubber hose: 1x12x200mm, 3x7.5x200mm
Twin ear clips: 12x15-18mm, 4x17-20mm

OI-9114E

NEW UNIVERSAL OIL DRAIN PLUG

- · To seal fuel lines during inspection and service work
- Suitable for diesel and petrol lines with push-pull quick connectors
- · Includes 2 piece of each following
- Plug connector 5/16"
- * Plug connector 3/8"

 * Plug connector 10 mm
- Quick coupling 5/16"
- Quick coupling 3/8"
- * Quick coupling 10 mm



KAUPA INTERNATIONAL CO.,LTD









PC-9321

1/2" DR. 21MM SHOCK ABSORBER




- · Shock absorber fitting for camber adjustment on MERCEDES-BENZ Sprinter,
- Special tool, tailored to the extremely poorly accessible shock absorber fitting
- Operation even in unfavorable space on a surveying platform
 Necessary introduction of force for screwing operation
 Suitable for MERCEDES-BENZ Sprinter,VWCrafter

PC-9294

14PCS SHOCK ABSORBER TOOL KIT

- · Specifically designed for repairing and replacing shock absorbers Manufactured from Chrome Vanadium
- Contents: 7 x Go Thru' deep sockets: 16/17/18/19/21/22/24mm, 3 x 1/2"D
- Hex bits: 6mm/7mm/8mm, 1 Sliding T-bar 1/2"D, 2 x slot bit sockets 5 x 8mm, 6 x 8mm x 1/2"D
- Also includes 1 x 21mm Hex Go Thru' ratchet
- · Examples of use include:
- * 6mm Hex and 8mm Hex used on Mercedes-Benz with 19mm socket.
- * 8mm Hex for BMW combined with appropriate socket. 7mm for GM/Vauxhall combined
- with appropriate socket.
 Slot bit socket combined with





PC-9290

REAR AXLE BUSH INSERTION TOOL



- For the insertion of the bonded rubber/plastic rear axle mounting bushes as fitted to Vauxhall Vectra.
- Use in situ-without removing the rear axle assembly from the vehicle

SB-9271

3PCS SPLIT RIM SOCKET BIT SET



- For OZ 10 point wheel fixings
 Size: 8mm*60mm, 10mm*60mm, 7mm*90mm

SB-9272

BUMPER TUBULAR SOCKET WRENCH



- Enables controlled screwing with the torque value required by the manufacturer
- Note: screw operation with threaded rod
 MERCEDES-BENZ Type 213 (E-Class) model year 2016 Wrench size: 8

- Total length: 160 mm
 Drive: Square, hollow 6.3 mm (1/4 inch)

KAUPA INTERNATIONAL CO.,LTD













ET-9297

GLOW PLUG SHAFT REAMER SET



- The reamer set for universal engines cleaning the glow plug hole and
- sealing seat in the cylinder head.
 Reamer adaptor guide adaptor with 7 different brushes (4.7mm 11mm)
 Suited for M8x1-90° / M8x1-120° / M9 x 1-90° / M10 x 1-60° / M10 x 1-90° / M10x1.25-60° / M10x1.25-90° / M12x 1.25-60°

ET-9299

CLIP WRENCH RELEASE TOOL

Feature:

- · Used to release pretensioned spring-type clips when fitting coolant hoses.
- Advantages
- Safe release of pretensioned spring-type clips
- Can be used in tight conditions thanks to the versatile attachment points on the tool
- The application is described in the relevant workshop manual for VAG
- * Ibiza 2008 →

- * IDIZa ZUU0 →
 * Ibiza 2018
 * 1,4LTFSI petrol
 * 1,8L TFSI petrol
 * 1.0 TFSI 4V 3cil petrol



ET-9298

VOLKSWAGEN AUDI IGNITION COIL PULLER

This special tool for pulling the ignition coils off the latest generation VAG petrol engines.

Application:

- · Golf 2013 onwards, Audi A3 2013 onwards, Seat Leon 2013 onwards and Octavia 2013 onwards with 4-cyl injection engine 1.2I /1.4I direct injection engine, turbocharger and 4 cyl direct injection 2.0l 4v turbocharger cháin drive Generation 111
- Used for removing pencil-type ignition coil on 4-cyl direct injection Generation 3 VAG petrol engines



ET-9300

VW AUDI T10303 DSG CLUTCH RETAINING BAR ON MULTIPLE CLUTCH TRANSMISSIONS



Feature:

- · Clutch Retaining Bar Used for asembly of multiple clutch on direct shift gearbox 02E - 6 speed.

 • Will work on the following DSG equipped Transmissions:

 • Volkswagen Beetle All 2.0T, Volkswagen Beetle GTI 2.0T Gen3, Volkswagen
- Beetle GTI TDI
- Volkswagen Golf V All 2.0T,Volkswagen Golf VI All 2.0T,Vol
- Volkswagen Jetta V All 2.0T, Volkswagen Jetta V All TDI, Volkswagen Jetta Volkswagen Jetta V All 2.01, Volkswagen Jetta V All 1DI, Volkswagen Jetta VI Sportwagen 2.0T
 Volkswagen Jetta VI Sedan 2.0T Gen3 GLI, Volkswagen Jetta VI Sedan Facelift 2.0T Gen3 GLI
 Volkswagen Jetta VI Sedan GLI, Volkswagen Jetta VI Sedan TDI
 Volkswagen Jetta VI Sedan Facelift TDI, Volkswagen Jetta VI Sportwagen TDI
 Volkswagen R32 MKV All 3.2
 Equivalent to T10303

APP



Android





KAUPA INTERNATIONAL CO.,LTD