

KAUPA MONTHLY (NOVEMBER/2018) BROCHURE- PRODUCT INDEX

PAGE1:

BE-9061 LAMBDA TESTER AND SIMULATOR
BE-9062 VOLTAGE TESTER WITH WIRE STRIPPER
BE-9062A VOLTAGE TESTER WITH WIRE STRIPPER
BE-9063 MULTI-FUNCTION AUTOMOTIVE TESTER
BE-9064 MULTI-FUNCTION AUTOMOTIVE TESTER

PAGE2:

BS-9338 ENGRAVER WITH ONE DIAMOND TIP & ONE USB CABLE < HOT PRODUCT >
BS-9339 6V ELECTRIC ENGRAVER
BS-9340 3V ELECTRIC ENGRAVER-8,000RPM
BS-9341 3V ELECTRIC ENGRAVER-9,000RPM
BS-9342 3V ELECTRIC ENGRAVER-20,000RPM
BS-9342B 3V ELECTRIC ENGRAVER SET-20,000RPM < HOT PRODUCT >

PAGE3: < HOT PRODUCT >

GT-9470 5W LED COB SLIM WORK LIGHT
GT-9471 8W LED COB SLIM WORK LIGHT

PAGE4: < HOT PRODUCT >

GT-9472 4 WHEEL ADJUSTABLE TOOL STOOL
GT-9472SS 4 WHEEL ADJUSTABLE TOOL STOOL
GT-9473 10 IN 1 SELF-IGNITION MULTI-FUNCTION HEATING TOOL KIT
GT-9474 10 IN 1 BUTANE SOLDERING IRON KIT

PAGE5:

PT-9031 7.2V BATTERY CAULKING DISPENSER 180ML DUAL CARTRIDGES (1:1)
PT-9032 7.2V BATTERY CAULKING DISPENSER 400ML DUAL CARTRIDGES (1:1)
PT-9033 7.2V BATTERY CAULKING DISPENSER 400ML DUAL CARTRIDGES (2:1)
PT-9034 7.2V BATTERY CAULKING DISPENSER 500ML DUAL CARTRIDGES (10:1)

WR-9333 SERIES 90T QUICKET REVERSIBLE WRENCH

- 9333-8** 90T QUICKET REVERSIBLE WRENCH 8MM X 140L
- 9333-9** 90T QUICKET REVERSIBLE WRENCH 9MM X 150L
- 9333-10** 90T QUICKET REVERSIBLE WRENCH 10MM X 160L
- 9333-11** 90T QUICKET REVERSIBLE WRENCH 11MM X 165L
- 9333-12** 90T QUICKET REVERSIBLE WRENCH 12MM X 170L
- 9333-13** 90T QUICKET REVERSIBLE WRENCH 13MM X 178L
- 9333-14** 90T QUICKET REVERSIBLE WRENCH 14MM X 190L
- 9333-15** 90T QUICKET REVERSIBLE WRENCH 15MM X 200L
- 9333-16** 90T QUICKET REVERSIBLE WRENCH 16MM X 210L
- 9333-17** 90T QUICKET REVERSIBLE WRENCH 17MM X 225L
- 9333-18** 90T QUICKET REVERSIBLE WRENCH 18MM X 237L
- 9333-19** 90T QUICKET REVERSIBLE WRENCH 19MM X 247L



www.kaupa.com.tw

BE-9061

LAMBDA TESTER AND SIMULATOR



- Automotive oxygen sensor simulator

BE-9062 / 9062A

9062 VOLTAGE TESTER WITH WIRE STRIPPER 9062A VOLTAGE TESTER WITH WIRE STRIPPER



- Can measure AC voltage 10V to 1000V, and DC voltage 7V to 1000V with polarity indication.
- Voltage measurement and polarity indication.
- 3 phase voltage rotation indication.
- **Temperature measurement (BE-9062 only)**
- RCD test / Continuity / Wire cutting and Stripping.
- Illumination / LCD display / Auto shut down / Low power indication.

BE-9063

MULTI-FUNCTION AUTOMOTIVE TESTER

- Specification:
- Supply voltage: 12 ~24 V DC system
- Voltage measurement range: 0~70V DC
- DC Current measurement range:0~5A
- Resistance measurement range:0~200 KΩ
- Cable Length: 2M
- Illumination
- Screen Disply: Color Screen
- Frequency measurement range:0~100K
- Hz (Squire wave)
- Accessory: Connector x 1 ; Long Testing probe x 1
- Wire Piercing probe x 1 (Included)
- Option: 6M extension wire / Thermocouple



BE-9064

MULTI-FUNCTION AUTOMOTIVE TESTER

- Specification:
- Supply voltage: 8~30V DC
- Voltage measurement range: 0~70V DC
- DC Current measurement range:0~5A
- Resistance measurement range:0~200 KΩ
- Cable Length: 2M
- Illumination
- Screen Disply: Color Screen
- Frequency measurement range:0~300K
- Hz (Squire wave)
- Temperature measurement: 5~200 ? /41~392 ?
- Accessory: Connector x 1 ; Long Testing probe x 1
- Wire Piercing probe x 1 (Included)
- Option: 6M extension wire / Thermocouple



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



KAUPA APP

Android



IOS





www.kaupa.com.tw

BS-9338

ENGRAVER WITH ONE DIAMOND TIP & ONE USB CABLE



- Function: Engraves any surface
- Power Supply: USB cable
- RPM: 14,000~16,000 (No-load)
- Standard colors : red, yellow and blue.

BS-9339

6V ELECTRIC ENGRAVER-18,000RPM



- Contents:**
- Handle Material :ABS
 - Power : AA size battery X 4 (Not included battery)
 - Speed : 18,000 R.P.M.

BS-9340

3V ELECTRIC ENGRAVER-8,000RPM



- Contents:**
- Power : AAA size battery X 2 (Not included battery)
 - Speed : 8,000 R.P.M.

BS-9341

3V ELECTRIC ENGRAVER-9,000RPM



- Contents:**
- Power: AAA size battery X 2 (Not included battery)
 - Speed:9,000 R.P.M.

BS-9342

3V ELECTRIC ENGRAVER-20,000RPM



- Contents:**
- Power : AAA size battery X 2 (Not included battery)
 - High speed : 20,000 R.P.M.+10%
 - Body length : 15 cm
 - 2pc 1.0mm Engraver Diamond Tip.
 - Easy replacement: fit for 2.34mm bit Pull out the holder directly.
 - Hold the engraver as a pen and apply minimum amount of pressure.
 - Engrave any surface: Metal, glass, wood, plastic...

BS-9342B

3V ELECTRIC ENGRAVER SET-20,000RPM



- Contents:**
- Power : AAA size battery X 2 (NOT Battery included)
 - High speed : 20,000 R.P.M.+10%
 - Body length : 16 cm
 - 2pc 1.0mm Engraver Diamond Tip.
 - Easy replacement: fit for 2.34mm bit Pull out the holder directly.
 - Hold the engraver as a pen and apply minimum amount of pressure.
 - Engrave any surface: Metal, glass, wood, plastic...
 - 1pc Universal Double-Open Tool Box
 - Box Size: 180x73x26mm
 - Left-handed person and Right-handed person all can open the box easy and smoothly.

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android




IOS




GT-9470

5W LED COB SLIM WORK LIGHT



GT-9471

8W LED COB SLIM WORK LIGHT





www.kaupa.com.tw

GT-9472 / 9472SS

9472 4 WHEEL ADJUSTABLE TOOL STOOL

9472SS 4 WHEEL ADJUSTABLE TOOL STOOL

GT-9472



Applications



GT-9472SS



GT--9472 / 9472SS Detail

- With tool tray
- Product dimension:153.5*42.3*44-55 (cm)
- Features:2 x 100mm (4") swivel lockable
- Wheel w / metal fork (tpr)
- 2 x 100mm (4") swivel wheelsw / metal fork (tpr)
- Tool trays included (pp)
- Black painted metal frame (2mm) with adjustable pressure bar
- Not include cup holders
- **Sponge Seat (BS-9472SS Only)**

GT-9473

10 IN 1 SELF-IGNITION MULTI-FUNCTION HEATING TOOL KIT

- Butane Gas Refillable
- Portable, Cordless & Lightweight
- Self-igniting Piezo Electric Ignition
- Adjustable Flame Height
- Wind Resistant Flame
- Temperature - 1300°c(Torch); 500°c(Hot Blow); 400°c(Soldering)

- **TIME: 40-60 MIN**
- Material : NL
- Suggested fuel type: lighter gas & Gas bayonet type
- TÜV Bauart approved

- **KIT CONTAINS:**
- *Resin Solder Coil *Cap
- *Sponge & Safety Stand
- *Hot Knife
- *Poly foam Cutter
- *Needle Solder
- *Double Sharp *Solder Tip
- *Scoop *Hot Blower



GT-9474

10 IN 1 BUTANE SOLDERING IRON KIT

- Butane Gas Refillable
- Portable, Cordless & Lightweight
- Self-igniting Piezo Electric Ignition
- Adjustable Flame Height
- Wind Resistant Flame
- Temperature - 1300°c(Torch); 500°c(Hot Blow); 400°c(Soldering)

- **TIME: 60-90MIN**
- Suggested fuel type: lighter gas & Gas bayonet type

- **KIT CONTAINS:**
- *Resin Solder Coil
- *Cap
- *Sponge & Safety Stand
- *Hot Knife
- *Poly foam Cutter
- *Needle Solder
- *Double Sharp *Solder Tip
- *Scoop



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



KAUPA APP

Android



IOS






www.kaupa.com.tw


PT-9031

7.2V BATTERY CAULKING DISPENSER 180ML DUAL CARTRIDGES (1:1)




PT-9032

7.2V BATTERY CAULKING DISPENSER 400ML DUAL CARTRIDGES (1:1)




PT-9033

7.2V BATTERY CAULKING DISPENSER 400ML DUAL CARTRIDGES (2:1)



PT-9034

7.2V BATTERY CAULKING DISPENSER 500ML DUAL CARTRIDGES (10:1)



Control L & M

• Remark: 2 different type option : L type and M type

Function:	Control (M)	Control (L)
OFFP: (Over Force Protection)	1~6	6 Speed Only
Anti-Drip:	○	○
LED Light:	Lighting / Alarm Indicator	Lighting Only
OVP: (Over Voltage Protection)	○	X
OTP: (Over Temperature Protection)	○	X
OCP: (Over Current Protection)	○	X
LVP: (Low Voltage Protection)	○	X
Dosing System:	○	X

MODE	VOLTS	WEIGHT (including battery)	WEIGHT (including case)	MAX.FORCE	NO LOAD SPEED	SIZE(mm)
PT-9031	7.2V Li-Ion Battery	1.25kg (3.75 lb)	2.87kg (6.33 lb)	(L) 450kgf±45//990lbf±100//4410N±441 (M)600kgf±60//1320lbf±132//5880N±588	4.0mm/sec	320(L)x225(H)x70.5(W) (12.6"x8.9"x2.8")
PT-9032	7.2V Li-Ion Battery	1.83kg (4.04 lb)	3.45kg (7.62 lb)	(L) 450kgf±45//990lbf±100//4410N±441 (M)600kgf±60//1320lbf±132//5880N±588	4.0mm/sec	386(L)x225(H)x101(W) (15.2"x8.9"x4.0")
PT-9033	7.2V Li-Ion Battery	1.69kg (3.72 lb)	3.31kg (7.30 lb)	(L) 450kgf±45//990lbf±100//4410N±441 (M)600kgf±60//1320lbf±132//5880N±588	4.0mm/sec	387(L)x225(H)x90(W) (15.2"x8.9"x3.5")
PT-9034	7.2V Li-Ion Battery	1.90kg (4.19 lb)	3.52kg (7.76 lb)	(L) 450kgf±45//990lbf±100//4410N±441 (M)600kgf±60//1320lbf±132//5880N±588	4.0mm/sec	388(L)x225(H)x101(W) (15.3"x8.9"x4.0")

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android

IOS





www.kaupa.com.tw

WR-9333 SERIES

- 9333-8** 90T QUICKET REVERSIBLE WRENCH 8MM X 140L
- 9333-9** 90T QUICKET REVERSIBLE WRENCH 9MM X 150L
- 9333-10** 90T QUICKET REVERSIBLE WRENCH 10MM X 160L
- 9333-11** 90T QUICKET REVERSIBLE WRENCH 11MM X 165L
- 9333-12** 90T QUICKET REVERSIBLE WRENCH 12MM X 170L
- 9333-13** 90T QUICKET REVERSIBLE WRENCH 13MM X 178L
- 9333-14** 90T QUICKET REVERSIBLE WRENCH 14MM X 190L
- 9333-15** 90T QUICKET REVERSIBLE WRENCH 15MM X 200L
- 9333-16** 90T QUICKET REVERSIBLE WRENCH 16MM X 210L
- 9333-17** 90T QUICKET REVERSIBLE WRENCH 17MM X 225L
- 9333-18** 90T QUICKET REVERSIBLE WRENCH 18MM X 237L
- 9333-19** 90T QUICKET REVERSIBLE WRENCH 19MM X 247L




USING INSTRUCTION

STEP 1. Pushing forward and keep your hand on.



STEP 2. Loosing screws:
Turn counterclockwise (Right)

Lucking screws:
Turn clockwise (Left)



STEP 3. Releasing pushing then start operating.

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS

