

KAUPA MONTHLY (JANUARY/2019) BROCHURE- PRODUCT INDEX

PAGE1:

- ARW-9871 1/2" REVERSE TURBO COMPOSITE WRENCH-6,800RPM
- ARW-9872 1/2" TWO-STAGE TRIGGER COMPOSITE WRENCH-6,800RPM
- ARW-9873 1/2" MINI COMPOSITE IMPACE WRENCH-9,000RPM
- ARW-9874 1/4" LONG-LIFE AIR SCREWDRIVER -10,000RPM
- ARW-9875 1/4" COMPOSITE AIR SCREWDRIVER-10,000RPM

PAGE2: < HOT PRODUCT >

- BS-9344 ROOF GRAB HANDLE RELEASE TOOL
- ET-9315 INJECTION FUEL PULLER FOR FORD
- BR-9079 BRAKE AND FUEL LINE INSPECTION TOOL
- BS-9333 WHEEL FENDER PATTERN LINE RULER
- BS-9343 DOOR HANDLE REMOVING TOOL-VAG

PAGE3: < HOT PRODUCT >

- PC-9328 GEARBOX PULLER SET
- PC-9329 UNIVERSAL INJECTION NOZZLE PULLER SET FOR DENSO
- GT-9447 11PCS TAP & DIE SET
- PC-9325 MERCEDES-BENZ BEARING REAR
- PC-9330 TWIN CONE PULLER SET

PAGE4:

GT-9480 QUICK SWIVEL SOCKET T-HANDLE SERIES

- 9480-6 QUICK SWIVEL SOCKET T-HANDLE-6MM
- 9480-7 QUICK SWIVEL SOCKET T-HANDLE-7MM
- 9480-8 QUICK SWIVEL SOCKET T-HANDLE-7MM
- 9480-9 QUICK SWIVEL SOCKET T-HANDLE-9MM
- 9480-10 QUICK SWIVEL SOCKET T-HANDLE-10MM
- 9480-11 QUICK SWIVEL SOCKET T-HANDLE-11MM
- 9480-12 QUICK SWIVEL SOCKET T-HANDLE-12MM
- 9480-13 QUICK SWIVEL SOCKET T-HANDLE-13MM
- 9480-14 QUICK SWIVEL SOCKET T-HANDLE-14MM
- 9480-15 QUICK SWIVEL SOCKET T-HANDLE-15MM
- 9480-16 QUICK SWIVEL SOCKET T-HANDLE-16MM
- 9480-17 QUICK SWIVEL SOCKET T-HANDLE-17MM
- 9480-19 QUICK SWIVEL SOCKET T-HANDLE-19MM
- 9480-21 QUICK SWIVEL SOCKET T-HANDLE-21MM

GT-9481 QUICK SWIVEL SPARK PLUG T-HANDLE SERIES

- 9481-14 QUICK SWIVEL SPARK PLUG T-HANDLE-14MM
- 9481-16 QUICK SWIVEL SPARK PLUG T-HANDLE-16MM
- 9481-18 QUICK SWIVEL SPARK PLUG T-HANDLE-18MM
- 9481-21 QUICK SWIVEL SPARK PLUG T-HANDLE-21MM

PAGE5: < HOT PRODUCT >

PC-9324G STUD CLEANING & HUB GRINDING TOOLS

PAGE6:

ST-9154 92PC - 1/4" & 3/8" DR., 6 PT Type SOCKET WRENCH & BIT SET

ST-9311 1/4" & 1/2"DR. 95PCS SOCKET WRENCH SET

ST-9325 1/4" 23PCS SOCKET SET

ST-9399 1/4" & 3/8" & 1/2" DR. 218PCS SOCKET SET



www.kaupa.com.tw

ARW-9871

1/2" REVERSE TURBO COMPOSITE WRENCH-6,800RPM



- Free Speed: 6,800 RPM
- Max.Torque: 800 FT/LBS (1,100NM)
- Air Inlet: 1/4"
- Weight: 2.0 kg
- Length: 190 MM
- Average air consumption: 0.15m³/min (5.30CFM)

ARW-9872

1/2" TWO-STAGE TRIGGER COMPOSITE WRENCH-6,800RPM



- Free Speed: 6,800 RPM
- Max.Torque: 800 FT/LBS (1,100NM)
- Air Inlet: 1/4"
- Weight: 1.9 kg
- Length: 190 MM
- Average air consumption: 0.15m³/min (5.30CFM)

ARW-9873

1/2" MINI COMPOSITE IMPACT WRENCH-9,000RPM



- Free Speed: 9,000 RPM
- Max.Torque: 600 FT/LBS
- Air Inlet: 1/4"
- Weight: 1.19 kg
- Length: 120 MM
- Average air consumption: 0.135m³/min (5CFM)
- Bolt size: 12-20mm
- Sound pressure: 84dBA
- Vibration: 2.5m/sec²

ARW-9874

1/4" LONG-LIFE AIR SCREWDRIVER -10,000RPM



- Free Speed: 1,000 RPM
- Max.Torque: 22 FT/LBS (30NM)
- Bolt size: 4.5mm
- Air Inlet: 1/4"
- Weight: 0.75 kg
- Length: 195 MM

ARW-9875

1/4" COMPOSITE AIR SCREWDRIVER-10,000RPM



- Free Speed: 1,000 RPM
- Max.Torque: 70NM
- Bolt size: 8-12mm
- Weight: 0.87 kg
- Length: 225 MM
- Average air consumption: 0.158m³/min

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS



BS-9344

ROOF GRAB HANDLE RELEASE TOOL



For VAG Golf 2013 >



- Feature:**
- For removing the roof grab handle without damage
 - Equivalent to OEM T10517

ET-9315

INJECTION FUEL PULLER FOR FORD



For extraction of pencil coil

Additional Information:

- Applications across the Ford petrol EcoBoost GDI engine ranges from 1.0lit to 2.0lit engines
- Dedicated slide hammer to ensure the correct shock level is used for injector extraction
- Equivalent to OEM 310-206
- For use with Ford Injectors No CM5G-9F593-FA



Ford's award-winning range of EcoBoost engines are very popular, and in addition to their engine timing tool kits and cambelt setting tools for these engines, Laser Tools has now introduced an injector puller kit. This kit specifically caters for the EcoBoost range up to the 2.0 litre version. The machined split collet design fits over the injector securely and allows the use of a slide hammer (included in the kit) to steadily pull out the injector. It is very easy to use, the slim design fits down over the injector and the body of the tool is turned to securely grip the injector. The weight of the slide hammer has been carefully calculated to ensure the correct shock level is used for injector removal.

BR-9079

BRAKE AND FUEL LINE INSPECTION TOOL



- Curved cleaning edges for working in areas with restricted access
- For the detection of hidden corrosion during general inspection
- With 12 cleaning edges for removal of dirt and rust from various lines

BS-9333

WHEEL FENDER PATTERN LINE RULER



- Stretch fender line with adjust liner guide
- Universal adjustment length to fit all car models

BS-9343

DOOR HANDLE REMOVING TOOL-VAG



- Application: Volkswagen Golf Sportsvan 2015>
- Equivalent to OEM T10539
- For removing the exterior door handle
- 12.75mm x 3.50mm profile x 14.5mm long
- Soft grip screwdriver handle with 92mm shaft



www.kaupa.com.tw

PC-9328

GEARBOX PULLER SET



Feature:

Polo 2014 >, Audi A1 2011 >
6-speed manual gearbox 02U
Pulling off selector gear with synchronizer hub for 5th and 6th gears

Golf 2004 >, Passat 2006 >, Touran 2004 >, Audi A3 2004 >,
Caddy 2005 >
6-speed manual gearbox 02S
For pulling off 6th speed gear wheel including synchro-hub

OEM Reference No.: T 10309A

PC-9329

UNIVERSAL INJECTION NOZZLE PULLER SET FOR DENSO



Application:

For Denso injectors: 23670 →
30080 · MB416600 → MB40A · 5870 →
13H50B · 11L 12182 · 23670 →
26011 · 23670 → 0R050 · 10J 06798

- Enables the removal of the injectors without removing the electrical connector or injector head
- Installed on e.g. TOYOTA · NISSAN · MAZDA · OPEL / VAUXHALL · LEXUS
- The extractor system securely grips the supply and overflow oil line connection
- Including 5 injector adapters and sliding hammer
- Easy removal of the injectors is possible using a sliding hammer
- Quick assignment of the arm pairs thanks to the instructions provided

GT-9447

11PCS TAP & DIE SET



Contents:

- 1pc Die holder
- 1pc Tap holder
- 3pcs Taps M12x1.5, M12x1.75, M14x1.5
- 3pcs Dies M12x1.5, M12x1.75, M14x1.5
- 1pcs Thread gauge
- 1pc Hex key

PC-9325

MERCEDES-BENZ BEARING REAR



- For exchanging the silent bearings on the rear axle member for mounting to the car body.
- Suitable for: Mercedes-Benz W 204

PC-9330

TWIN CONE PULLER SET



- Removes wheel bearings. The cone goes through the center of the bearing, then locks in place with a spindle and two nuts. Using a slide hammer, technicians can then remove the wheel bearing. The kit contains two sets of three cones in various sizes.

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS





www.kaupa.com.tw

GT-9480 SERIES

- 9480-6 QUICK SWIVEL SOCKET T-HANDLE-6MM
- 9480-7 QUICK SWIVEL SOCKET T-HANDLE-7MM
- 9480-8 QUICK SWIVEL SOCKET T-HANDLE-7MM
- 9480-9 QUICK SWIVEL SOCKET T-HANDLE-9MM
- 9480-10 QUICK SWIVEL SOCKET T-HANDLE-10MM
- 9480-11 QUICK SWIVEL SOCKET T-HANDLE-11MM
- 9480-12 QUICK SWIVEL SOCKET T-HANDLE-12MM
- 9480-13 QUICK SWIVEL SOCKET T-HANDLE-13MM
- 9480-14 QUICK SWIVEL SOCKET T-HANDLE-14MM
- 9480-15 QUICK SWIVEL SOCKET T-HANDLE-15MM
- 9480-16 QUICK SWIVEL SOCKET T-HANDLE-16MM
- 9480-17 QUICK SWIVEL SOCKET T-HANDLE-17MM
- 9480-19 QUICK SWIVEL SOCKET T-HANDLE-19MM
- 9480-21 QUICK SWIVEL SOCKET T-HANDLE-21MM



GT-9481 SERIES

- 9481-14 QUICK SWIVEL SPARK PLUG T-HANDLE-14MM
- 9481-16 QUICK SWIVEL SPARK PLUG T-HANDLE-16MM
- 9481-18 QUICK SWIVEL SPARK PLUG T-HANDLE-18MM
- 9481-21 QUICK SWIVEL SPARK PLUG T-HANDLE-21MM



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS



kaupa

www.kaupa.com.tw

PC-9324G

STUD CLEANING & HUB GRINDING TOOLS



- Faster and easier to clean wheel studs and wheel hub.
- Quick change brushes and grinding pads.
- Only need ONE tool to fit different sizes of brush and grinding pads.
- Can be operated by cordless drill or impact wrench.
- Brush size: 14mm, 22mm (Do not exceed 1,800rpm)
- Hub grinding pad: $\varnothing 23\text{mm} \times 3\text{pcs}$, $\varnothing 15\text{mm} \times 2\text{pcs}$ (Do not exceed 8,000rpm)

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw


KAUPA
APP

Android



IOS





www.kaupa.com.tw

ST-9154

92PC - 1/4" & 3/8" DR., 6 PT Type SOCKET WRENCH & BIT SET

- 1/4"DR:
 - 10 - SOCKETS : 5/32"-3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"
 - 5 - DEEP SOCKETS : 1/4"-5/16"-3/8"-7/16"-1/2"
 - 1 - 72TH QUICK RELEASE REVERSIBLE RATCHET HANDLE WITH CURVED SHANK & 2-TONE SOFT GRIP
 - 1 - SPINNER HANDLE
 - 1 - SLIDING T-BAR
 - 1 - 75MM(L) EXTENSION BAR
 - 1 - UNIVERSAL JOINT
 - 1 - COUPLER
- 3/8"DR:
 - 11 - SOCKETS : 1/2"-9/16"-19/32"-5/8"-11/16"-3/4"-25/32"-13/16"-7/8"-15/16"-1"
 - 4 - DEEP SOCKETS : 9/16"-5/8"-11/16"-3/4"
 - 1 - 72 TEETH QUICK RELEASE REVERSIBLE RATCHET HANDLE WITH CURVED SHANK & 2-TONE SOFT GRIP
 - 3 - SPARK PLUG SOCKETS: 5/8"-3/4"-13/16"
 - 2 - EXTENSION BRS : 75-150 MM
 - 1 - UNIVERSAL JOINT
 - 1 - COUPLER
- ACCESSORIES:
 - 1 - 1/4"DR (M) * 3/8"DR (F) ADAPTOR
 - 9 - COMBINATION WRENCHES: 1/4"-5/16"-3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"
 - 9 - HEX KEY WRENCHES: 1/16"-5/64"-3/32"-1/8"-5/32"-3/16"-1/4"-5/16"-3/8"
 - 29 - 25MM(L) BITS :
 - 7 - SLOTTED: 1/8"-3/32"-5/32"-3/16"-7/32"-1/4"-9/32"
 - 4 - PHILLIPS: NO.0-1-2-3
 - 4 - POZIDRIV: NO.0-1-2-3
 - 7 - HEX: 1/16"-5/64"-1/8"-5/32"-3/16"-7/32"-9/32"
 - 7 - TX: T10-T15-T20-T25-T27-T30-T40



ST-9311

1/4" & 1/2"DR. 95PCS SOCKET WRENCH SET

- 1/4"DR:
 - 13 - SOCKETS : 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm
 - 8 - DEEP SOCKETS : 6-7-8-9-10-11-12-13 mm
 - 1 - 72TH QUICK RELEASE CURVED SHANK RATCHET HANDLE WITH 2-TONE GRIP
 - 2 - EXTENSION BARS : 2" & 4"
 - 1 - UNIVERSAL JOINT
 - 1 - DOUBEL ENDED SPINNER HANDLE W/ 2-TONE GRIP
 - 1 - 110MM SLIDING T-BAR
- 1/2"DR:
 - 17 - SOCKETS : 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 MM
 - 5 - DEEP SOCKETS : 14-15-17-19-22 MM
 - 1 - 72TH QUICK RELEASE CURVED SHANK RATCHET HANDLE WITH 2-TONE GRIP
 - 2 - SPARK PLUG SOCKETS : 16 & 21 MM
 - 2 - EXTENSION BARS: 125MM & 250MM
 - 1 - UNIVERSAL JOINT
 - 1 - ADAPTOR FOR SLIDING T-BAR
 - 1 - 1/2"DR(F) X 8MM HEX(F) COUPLER
- ACCESSORIES:
 - 3 - HEX KEY WRENCHES : 1.5-2-2.5 MM
 - 18 - 1/4"DR. BIT SOCKETS:
 - 3 - SLOTTED: 4-5-5.5-6.5 MM
 - 2 - PHILLIPS: NO.1-2
 - 2 - POZIDRIV: NO.1-2
 - 4 - HEX: 3-4-5-6 MM
 - 7 - TX: T8-T10-T15-T20-T25-T27-T30
 - 17 - 30L 8MM HEX BITS:
 - 3 - SLOTTED: 8-10-12 MM
 - 2 - PHILLIPS: NO.3-4
 - 2 - POZIDRIV: NO.3-4
 - 5 - HEX: 7-8-10-12-14 MM
 - 5 - TX: T40-T45-T50-T55-T60



ST-9325

1/4" 23PCS SOCKET SET

- 1/4"DR:
 - 12 - SOCKETS : 4-4.5-5-5.5-6-7-8-9-10-11-12-13 mm
 - 1 - 72 TEETH LEVER TYPE QUICK RELEASE RATCHET HANDLE WITH CURVED SHA
 - 2 - EXTENSION BAR : 100 MM
 - 1 - COUPER
- 8 - 30L 8mm Bits:
 - 2 - Phillips: NO.1-2
 - 2 - Pozidriv: NO.1-2
 - 4 - Tx:T15-T20-T25-T30



ST-9399

1/4" & 3/8" & 1/2" DR. 218PCS SOCKET SET



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS

