

KAUPA MONTHLY (JULY/2019) BROCHURE- PRODUCT INDEX

PAGE1:

BR-0007-1-4S 4PCS CALIPER HANGER SET (UNI-HOOK/UNI-HOOK-SOLID) < HOT
PRODUCT>

BR-0008R 22PCS AIR POWERED BRAKE CALIPER WIND BACK IT

BR-9083 3PC HEX OFFSET BRAKE BLEEDING WRENCH SET

BS-9356 SCISSOR CLAMP-50MM

BS-9357 STRUT PULLER KIT

PAGE2: < HOT PRODUCT>

OI-9140-13 PNEUMATIC FLUID DISPENSER WITH 13PCS ATF ADAPTER

OI-9140-8 PNEUMATIC FLUID DISPENSER WITH 8PCS ATF ADAPTER

OI-940-20 PNEUMATIC FLUID DISPENSER WITH 20PCS ATF ADAPTER

OI-9137A WASTE OIL RECEIVING PAN WITH PRE-SPRAY NET

OI-9138 MANUAL FLUID EXTRACTOR-7.5L

PAGE3: < HOT PRODUCT>

ET-9325 SUBARU STRETCH BELT TOOL KIT

PC-9331 HIGH PRESSURE FUEL INJECTION PUMP SPROCKET TOOL

TT-9265 COMMON-RAIL PUMP TOOL FOR RENAULT

ST-9406 UNIVERSAL WHEEL LOCKING NUT REMOVAL TOOL

PAGE4:

WR-9202P 1/2" 72T 255L DIGITAL TORQUE RATCHET HANDLE 16-80NM

WR-9203P 3/8" 72T 220L DIGITAL TORQUE RATCHET HANDLE 12-60NM


WR-9204P 1/4" 72T 200L DIGITAL TORQUE RATCHET HANDLE 6-30NM



www.kaupa.com.tw

BR-0007-1-4S

**4PCS CALIPER HANGER SET (UNI-HOOK/
UNI-HOOK-SOLID)**



FEATURE: Use on ex: brake calipers, cables, hose...etc

BR-0008R

**22PCS AIR POWERED BRAKE CALIPER WIND
BACK IT**

FEATURE:

- Designed to make disc brake services faster and energy saving
- Tool can be turned left- and right-ward - suitable for regular and reverse-threaded pistons
- Pneumatic powered tool is able to wind pistons back simply pressing a button
- Includes 22 adapters, fitting a wide range of vehicles.



BR-9083

**3PC HEX OFFSET BRAKE BLEEDING
WRENCH SET**



FEATURE:

- Set for fastening and loosening brake bleeder valves.
- Extra thickness on wrench wall enhances coverage on bleeder valves, preventing breaking rusty bleeder valves.
- Offset design enables working in confined areas.
- Double ended with sizes in metrics and inches for most common vehicles on market.

BS-9357

STRUT PULLER KIT



- Overall length:5"
- Capacity:3 ton
- Easy, fast, reliable method for pulling strut towers.
- Development for strut towers without bolts, to correct chassis dimensions to factory specifications, Strut tower removal in necessary.

BS-9356

SCISSOR CLAMP-50MM



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS





www.kaupa.com.tw

OI-9140-13

PNEUMATIC FLUID DISPENSER WITH 13PCS ATF ADAPTER



OI-9140-20

PNEUMATIC FLUID DISPENSER WITH 20PCS ATF ADAPTER



OI-9140-8

PNEUMATIC FLUID DISPENSER WITH 8PCS ATF ADAPTER



OI-9137A

WASTE OIL RECEIVING PAN WITH PRE-SPRAY NET



OI-9138

MANUAL FLUID EXTRACTOR -7.5L



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS






www.kaupa.com.tw

ET-9325

SUBARU STRETCH BELT TOOL KIT



PC-9331

HIGH PRESSURE FUEL INJECTION PUMP SPROCKET TOOL

FEATURE:

Developed to provide a removal solution for the High Pressure Fuel Pump Sprocket fitted to the Hyundai and Kia 2.0 & 2.2 CR diesel engines listed below. This tool allows the fuel pump sprocket to be pulled from the pump. N.B: For 1.1, 1.4, 1.5, 1.6, and 1.7

- Used to remove the high pressure diesel fuel pump sprocket on Hyundai/KIA (2.0 & 2.2 CRDi engines)
- Application: Chain driven CRDi diesel engines 2.0 & 2.2 CRDi fitted to Hyundai and KIA models
- Equivalent to OEM 09331-1M100
- Access to the engine timing chain requires the removal of the sump which is greatly assisted by using sump joint separator (OEM09215-3C000)
- Essential for sprocket removal



TT-9265

COMMON-RAIL PUMP TOOL FOR RENAULT

Used to remove the diesel fuel pump sprocket to allow removal of the fuel pump without disturbing the timing belt on the 2.5/2.2 Renault diesel engines used in Renault, Vauxhall and Nissan vans.

Additional Information:

- Applications include: 2000 to 2009 2.2 G9T & 2003 to 2012 2.5 G9U diesel engines found in Renault, Vauxhall & Nissan vans
- Equivalent to OEM KM-6207 and MOT. 1548.
- Fuel pump gear removal



ST-9406

UNIVERSAL WHEEL LOCKING NUT REMOVAL TOOL

- Removes the most difficult locking lug nuts
- Professional kit: made of solid material that can work on the hardest lugs
- Very easy and quick to use : 4 to 8 minutes per wheel only!
- UNIVERSAL:
- Works on all types of sockets from any brand
- Also works on all modern cars with oddly shaped lugs
- Also works on damaged lugs

Over the years the locking lug nuts have been dramatically improved. Their design is more and more complex and the material itself harder and harder. Problems with damaged lug nuts or lost keys are well-known in the tire repair shops business.

- Kit includes:
- 3 metal external centering guides
- 1 metal centering guide for free turning lugs
- 2 x special ultra hard drill
- 4 x extractor
- 1 puller
- 1 socket



KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS





www.kaupa.com.tw

WR-9202P / 9203P / 9204P

9202P 1/2" 72T 255L DIGITAL TORQUE RATCHET HANDLE 16-80NM

9203P 3/8" 72T 220L DIGITAL TORQUE RATCHET HANDLE 12-60NM

9204P 1/4" 72T 200L DIGITAL TORQUE RATCHET HANDLE 6-30NM

WR-9202P



WR-9203P



WR-9204P



Model No.:	WR-9204P	WR-9203P	WR-9202P
Dr	1/4"	3/8"	1/2"
Accuracy	2%		
Display Range	1-30Nm	1-60Nm	1-80Nm
Alarm Range	1.5-30Nm	3-60Nm	4-80Nm
Accuracy Range	6-30Nm 4.4-22.1Lb/ft	12-60Nm 8.5-44.2Lb/ft	16-80Nm 11.8-59Lb/ft
Preset	1		
Resolution	0.1Nm		
Memory	50		
Unit	5(Nm, Lb-ft, In-ft, Kg-m, Kg-cm)		
Backlight	Yes		
Mode	Peak/Track		
Length (mm)	200	220	255
Weight (kg)	0.5	0.6	0.78
Battery	AAA*2pcs		
Battery Life	50 hrs		
Auto Shut Off	70seconds		
Storage Temp	-20°C -70°C (-4 °F-57.9°F)		
Operating Ambient Temp	-10°C-60 °C (14°F-139.9 °F)		
Operating Humidity	15-90% noncondensing		

KAUPA INTERNATIONAL CO.,LTD

E-mail: service@kaupa.com.tw



Android



IOS

