



www.kaupa.com.tw

LONG REACH SCRAPER WITH CHISEL

ARW-9910 ~ 9913 ABCD

- WITH 24.36" (620MM) CHISEL
- WEIGHT : 9.32LBS(4.23KGS)

ARW-9910



- MAKING THE TOOL A GOOD CHOICE FOR CLEANING IRREGULAR SURFACES.
- BLOW PER MIN : 2400BPM
- PISTON SIZE : 23.8 X 28.5 X 87
- AIR INLET : 1/4"
- RECOMMENDED AIR PRESSURE : 90PSI (6.2BAR)
- AVERAGE AIR CONSUMPTION : 10CFM

ARW-9911



- WITH 47.94" (1220MM) CHISEL
- WEIGHT : 13.88LBS(6.3KGS)

ARW-9913

EXTRA OPTION: SPECIAL AIR HAMMER CHISEL

ARW-9912



- WITH 59.73" (1520MM) CHISEL
- WEIGHT : 15.62LBS(7.1KGS)



ARW-9913-A
100MM



ARW-9913-B
70MM



ARW-9913-C
50MM



ARW-9913-D
40MM



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD





www.kaupa.com.tw

COLD ADHESIVE GLUE PULLING HAMMER SET

BS-9371 & 9371C & 9371B

BS-9371



- It is reusable in use and practically does not run out.
- The special composition provides quick, strong adhesion, sufficient to perform a wide range of PDR tasks
- The composition is easy to use, even suitable for PDR beginners.
- Strong adhesion provides extreme traction combined with easy removal.
- Upon application the surface must be free of grease. Water and at least 20 degrees Celsius.
- The kit does not damage the body paintwork, is completely safe to use!
- The fastening system is suitable for our special design sliding hammer with aluminum alloy adaptor
- Instant strong adhesion! Low cost and quick payback!

BS-9371C

COLD ADHESIVE GLUE WITH FOUR ALUM. ALLOY ADAPTORS




BS-9371C PACKING



BS-9371B

BLACK COLD ADHESIVE GLUE 50G



KAUPA APP



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



TIRE PRESSURE GAUGE

GT-9555 & 9555-1 & 9555-2

www.kaupa.com.tw

GT-9555



GT-9555-1




Features:

- Portable and convenient
- No need for battery replacement
- Measure within one second
- Measure tire pressure precisely
- 360°Rotation

Application:

- Truck
- Car
- Motorcycle
- Bicycle Tire

GT-9555-2



Part no.	GT-9555	GT-9555-1 / GT-9555-2
Pressure Gauge	2"	
Display Resolution	±2.5% F.S. or ±3% ~ ±2% ~ ±3%	±3% ~ ±2% ~ ±3%
Pressure	4 Bar/60psi	200Lb/in ² / 15kg/cm ²
Medium	Non-corrosive Gas	
Working Temp	-5~70°C	
Material	Body:Brass(Chrome plating)	Pressure control valve body: Aluminum alloy Air chuck: Zinc alloy

KAUPA
APP



Android



IOS



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



SNAP RING PLIERS SET

PLC-9072 & 9073 & 9074

www.kaupa.com.tw

PLC-9072

2PCS 10-1/2" HEAVY DUTY SNAP RING PLIER SET

- Includes extra sets of replaceable 3 mm diameter tips-straight , 15° , 45° , 90° .
- Plastic box with 6 pieces screw.
- Internal pliers capacity : 60mm to 85mm.
- External pliers capacity : 40mm to 85mm.



- One Internal Snap Pliers & One External Snap Ring Pliers .
- Replaceable tips and spring ratchet locking mechanism to hold giants snap ring tension

PLC-9074

2PCS LARGE 20" SNAP RING PLIERS SET



- Includes extra 2 sets of replaceable 3.5 mm diameter tips-straight , 90° .
- With 4 sets of bolt,nut and washer.
- Internal pliers capacity : 165mm to 300mm.
- External pliers capacity : 165mm to 300mm.

PLC-9073

2PCS LARGE 16" SNAP RING PLIERS SET



- Includes extra sets of replaceable 3 mm diameter tips-straight , 45° , 90° .
- With 6 sets of bolt, nut and washer.
- Internal pliers capacity : 85mm to 170mm.
- External pliers capacity : 85mm to 170mm.

KAUPA
APP



Android



IOS



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD