

BS-9376

30 ONCE ALUM, SIDE HAMMER

- 0.96 kg steel slide hammer has a zinc coated steel shaft.
- · 4 inch weight is 2.11 lbs, The large comfort grip is five inches long.
- · Weight has a travel of 7-1/2" inches.
- · Weight is also zinc coated to protect against rust and contamination.
- · Top Grip with an easy grap design fits nicely in the palm of your hand.
- Tab adapter is designed to fit almost every PDR glue tab available.



BS-9231-B

T-BAR AND SLIDE HAMMER SET

- · Ideal for removing bearing cups, outer races, and oil seals from blind holes.
- · Upon removal of the internal pulling attachment, the basic slide hammer unit, which has a 5/8"-18 threaded end, may be used with various adapters for a multitude of pulling jobs



BR-9048

BRAKE CALIPER TOOL

- · Material: Cr-Mo
- . These 6-sided tools fit most domestic and some import vehiclesDisc brake tools are designed to fit most Chrysler, Ford, and General Motors vehicles with four wheel disc brakes.
- They have SIX sides with different slot locations allowing you to screw the piston back into the caliper.
- All you need is a 3/8 in. drive ratchet, extension and you are ready to install your new brake pads.



OF-9073

3 JAW OIL FILTER INSTANT WRENCH

- Universal Fit- This oil filter wrench removes 60-93mm diameter traditional spin-off canister style oil filters.
- Works with 3/8 inch square driver ratchet.
















COLD ADHESIVE GLUE PULLING HAMMER SET

www.kaupa.com.tw

BS-9371











BS-9371 & 9371C & 9371B

- It is reusable in use and practically does not run out.
- The special composition provides quick, strong adhesion, sufficient to perform a wide range of PDR tasks
- The composition is easy to use, even suitable for PDR beginners.
- Strong adhesion provides extreme traction combined with easy removal.
- Upon application the surface must be free of grease. Water and at least 20 degrees Celsius
- The kit does not damage the body paintwork, is completely safe to use!
- The fastening system is suitable for our special design sliding hammer with aluminum alloy adaptor
- •Instant strong adhesion! Low cost and quick payback!

BS-9371C

COLD ADHESIVE GLUE WITH FOUR ALUM, ALLOY ADAPTORS









BS-9371B

BLACK COLD ADHESIVE GLUE 50G











ET-9095

3PCS MAGNETIC SWIVEL SPARK PLUG KIT- 5/8X4", 5/8X11",5/8X 6"

- · Swivel design provides better access to hard to reach spark plugs
- · Magnetic insert holds plug for removal and installation
- · Interior magnet retains the spark plug for positive installation, no more plug sockets dropping into the engine compartment

 Designed for use with a 3/8" square drive tool
- 360 degree ball swivel Spark Plug
- · Anti slip knurled grip on shaft





PC-9318 / 9318-15 / 9318-20

9318 21"(535MML) TIRE LEVEL WITH PROTECTOR 9318-15 15" (380MM) TIRE LEVEL WITH PROTECT PLASTIC 9318-20 20" (500MM) TIRE LEVEL WITH PROTECT PLASTIC



PC-9349

WHEEL KNUCKLE VACUUM OIL SEAL **INSTALLER TOOL-COMPATIBLE WITH**

2005-2019 FORD F-250 F-350



AXLE SHAFT SEAL INSTALLER AND WHEEL KNUCKLE VACUUM OIL SEAL INSTALLER **TOOL-COMPATIBLE WITH 1998-2004**

FORD F-250 F-350 F-450 F-550





PC-9348



