



www.kaupa.com.tw

BE-0003

CAR LIGHT TESTER 6V-24V

- Solid brass body with a test light.
- Prod tip is covered with a brass protective screw cap.
- 850mm cable with an alligator clip on the end.
- The alligator(earth) clip is clamped to a suitable earth and the tip of the contact blade is placed onto the part to be used. If current is present the test light will glow.



BE-9080

CAR LIGHT TESTER CHECKS 6-24V

- Checks: 6-24V DC
- Fully shielded indicator bulb.
- Insulated test lead with alligator clip.
- Pointed probe for piercing wires.



GT-9573

PROFESSIONAL RECHARGEABLE COLOR MATCH LIGHT

- This color match work light features a high color match rating of over CRI 95 for accurately reading surface colors.
- The lens is easy to remove for cleaning.
- Designed for durability and long tool life both the lens and housing are impact resistant. Includes rechargeable base to power lithium-ion battery for up to 3 hours.
- Perfect for automotive paint work, art restoration, interior design - anywhere you need to view colors accurately
- High color match rating over CRI 95 for the accurate color representation
- Impact-resistant lens and housing for increased durability and tool life
- Easy to remove lens for quick cleaning
- Super-bright LED light source with up to 455 lumens
- Color Temperature : 2700K / 4500K/ 6500K
- Waterproof rating : IP65



GT-9315

CERAMIC AUTO-RETRACTABLE UTILITY KNIFE

- Auto-retractable blade: extra safe, reduces possibility of injury
- Simplistic style: streamlined design without any cumbersome parts
- Blade material(ZrO2)feature: Non-conductive, anti-magnetic and Non-corrosive
- Blade storage design: Extra 2PC. ceramic blades supplied
- Injection molding technique Accurate, high density process ensures blade sharpness and durability
- Blade hardness :Close to Diamond hardness
- Blade sharpness :Up to 10X longer lasting than steel
- Double-sided ceramic blade: Reversible blade for extra long-use.
- Simple blade change:6 steps to replace blade, no tools required



KAUPA
APP



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



www.kaupa.com.tw

TT-9281

TIMING TOOLS FOR FORD

- For holding the camshaft while setting the tappet and for installing the front crankshaft oil sealing
- Suitable for: Ford & Volvo 2.5L Duratec-VE (VI5) Turbo petrol engines
- For following models:
 - Ford Focus (2005-2011) - Galaxy (2006-2010)
 - Ford Kuga (2009-2013) - Mondeo (2007-2010)
 - S-Max (2006-2010) - Volvo C30 (2006-2013)
 - C70 (2006-2013) - S40 (2003-2012)
 - S60 (2003-2016) - S80 (2003-2012)
 - Volvo V40 (2012-2015)
 - V50 (2004-2012) - V70 (2002-2012)
 - XC60 (2014-2016) - XC70 (2002-2007)
 - XC90 (2002-2014)
- Engine codes: HYDA, HYDB, HUBA, B5254T10, B5254T11, B5254T12, B5254T14, B5254T2, B5254T3, B5254T4, B5254T5, B5254T6, B5254T7, B5254T8, B5254T9
- Camshaft holder, to be used as OEM 303-1183, 9995765
- Crankshaft seal driver, to be used as OEM 303-1180
- Crankshaft seal guide, to be used as OEM 303-1180



BR-9101

FLARING TOOL 4.75MM DIN



ST-9368-1

3/8" DR. 6PT EXTRA LONG(120L) SOCKET SET W 1/4" ADAPTER-6PCS SIZE: 8-10-12-13-14MM + 1/4" ADAPTER

- Ideal for heavily recessed fixings that have extra long bolts socket sizes
- Suitable for some bumpers, rear lamps and door hinge fittings
- Particularly useful for the parking brake cable adjuster on VAG/Vauxhall/Opel/BMW and Ford




ST-9368 is also available



GT-9046

10" WHEEL BALANCE PLIER



GT-9046N is also available



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



www.kaupa.com.tw

1000W MINI HANDY MAGNETIC INDUCTION HEATER KIT WITH ADVANCED COILS

GT-9572



Specification:

- Input (50/60Hz, 1ph): 110V & 220V, 6.3A
- Weight: 4lb
- Wattage: 1000W

Package Include:

- Magnetic Induction Heater*1
- $\Phi 15\text{mm}$ Coil*1 / $\Phi 20\text{mm}$ Coil*1 / $\Phi 25\text{mm}$ Coil*1 / $\Phi 30\text{mm}$ Coil*1 / $\Phi 40\text{mm}$ Coil*1

- A flameless solution for releasing metal hardware and components from corrosion
- Loosen seized hardware, bearings, gears, pulleys, lug nuts, in-line applications, fuel tank straps, PDR applications paint-less dent repair, etc.
- It adopts high frequency magnetic fields to heat up metal ONLY with induction heat
- Heats and expands frozen, rusted or thread-lock compound nuts without flame damages
- The inductor is a hand-held one with slip-resist ergonomic housing; Faster and safer than traditional torch

Application:

Remove Logo et



All types of seized hardware (over heated to illustrate power)



Soft hail dentremoval



Steering & suspension



O₂ sensors



Inline application



Remove body side moldings



Prevent expensive wheel damage



KAUPA
APP



Android



IOS

E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



www.kaupa.com.tw

TT-9282

TIMING TOOLS FOR OPEL



- For removing / replacing the timing chain in the cylinder head.
- Suitable for 2.0 CDTi / EcoFLEX engines (from 2014).
- Engine code: LFS/B20DTH

Suitable for the following Vauxhall models:

- Cascada 2.0 CDTi (2015-2017).
- Insignia 2.0 CDTi (2014-2017).
- Insignia Country Tourer 2.0 CDTi (2014-2017)
- Zafira-C Tourer 2.0 CDTi (2014-2017)

Box contents:

- Camshaft adjustment tool, can be used as OEM EN-51415.
- Chain tensioner locking pin, can be used as OEM EN-51418.
- Can be used as OEM 1: EN-51415 / EN-51418 Opel
- To be used as OEM2: EN-51415 / EN-51418 Vauxhall

TT-9283

TIMING TOOLS FOR LAND ROVER



- For adjusting the balance shaft.
- Suitable for the following vehicles:
Land Rover Discovery, Discovery Sport, Freelander 2, eD4, TD4, TD4e (2009-2015) | Engine codes: 224DT, DW12CTED4/224DT, DW12BTED4/224DT.
- Citroën C5, C5 II, C5 III, C6, C8, C-Crosse HDi (200-2015) | Engine Codes: 4HX (DW12CTED4), 4HP (DW12BTED4), 4HX (DW12TED4), 4HW (DW12TED4/L4)
- Mitsubishi Outlander DI-D, DI-DC (2007-2013) | Engine Codes: 4HK, 4HN
- Peugeot 4007, 407, 607, 807, 406, 508, 607, HDi, GT HDi (2000-2015) | Engine Codes: DW12MTED4 (4HK), DW12MTED4 (4HN), DW12BTED4 (4HP), DW12BTED4D4 (4BTED4 (4) (4HR), DW12BTED4 (4HT), DW12TED4/L4 (4HW), DW12BTED4 (4HS), DW12ATED (4HZ), DW12ATED4 (4HX), DW12ATED (4HZ), DW12CTED4 (4HL).
- Ford Galaxy, Mondeo, S-Max, TDCi, TCI (2008-2015) | Engine Codes: KNBB, KNBA, KNWA, Q4BA
- Box contents: balancing shaft fixing tool, can be used in the same way as OEM 303-1329
- Compensation tool, can be used in the same way as OEM 303-1330.
- Balance shaft adjustment tool, can be used in the same way as OEM 303-1328, 0190D.

TT-9284

TIMING TOOLS FOR OPEL



- For checking and setting the engine timing

Suitable for following models:

- Buick Enclave 3.6, engine code: LY7
- Cadillac SRX, STS, CTS 3.6, engine code: LY7, LLT
- Chevrolet Camaro 2.8, engine code: LTT, LFX
- Opel Insignia 2.8 V6 Turbo, engine code: LAU/A28NER
- Opel Antara 3.2 V6 (as of 2007), engine code: Z32SE
- Saab 9-5 2.8 (2009-2013), engine code: LAU/A28NER

Box contents:

- Camshaft alignment tool, to be used as OEM EN-48383-1, EN-48383-2, EN-48383-3
- Flywheel locking tool, to be used as OEM EN-46106
- Crankshaft setting tool, to be used as OEM EN-46111

TT-9285

CHAIN HOUSING COVER ALIGNMENT & PUMP SPROCKET REMOVAL TOOL SET FOR FORD 1.8 TDDi/TDCi



- For alignment of chain housing cover and for removing of high pressure pump sprocket
- During works on high pressure pump chain, for example
- Tools are complementary for engine timing tool set (eg: TT-0007)

Suitable for following models:

- Focus 1.8 TDCi (2004 - 2011) - engine codes: KKDA, KKDB
- C-Max 1.8 TDCi (2003 - 2007) - engine codes: KKDA, BHPA, HCPA
- Tourneo Connect 1.8 TDCi (2002 - 2013)
- engine codes: HCPA, HCPB (2002 - 2006), RWPA, R2PA, P7PA, P9PA, R3PA (2006-2013), P9PB, RWPC (2009 - 2013)
- Tourneo Connect 1.8 TDDi (2002 - 2006) - engine code: BHPA
- Mondeo 1.8 TDCi (2007 - 2010) - engine codes: FFBA, QYBA, KHBA
- Mondeo 1.8 TDCi ECONetic (2008 - 2010) - engine code: KHBA
- Transit Connect 1.8 TDCi (2002 - 2013)
- engine codes: HCPA, HCPB (2002 - 2006), RWPA, P7PA, R2PA, P9PA, R3PA (2006 - 2013), P9PB, RWPC (2009 - 2013)
- Transit Connect 1.8 TDDi (2002 - 2006) - engine code: BHPA

Box contents:

- Chain housing cover alignment tool, to be used as OEM 303-652 (21-230)
- High pressure pump sprocket disassembly tool, to be used as OEM 303-095 (23-067)



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



www.kaupa.com.tw

WR-9139-1 / WR-9369 / WR-9370

9139-1 1/2"DR. 72T EXTENDABLE RATCHET HANDLE 305-445 mm

9369 3/8"DR. 72T EXTENDABLE RATCHET HANDLE 220-320 mm

9370 1/4"DR. 72T EXTENDABLE RATCHET HANDLE 150-200 mm



PART.No	SIZE	L(MM)	ANSI(N.M)	ANSI(N.M)
WR-9370	1/4"Dr	150-200	51	62
WR-9369	3/8"Dr	220-320	204	202
WR-9139-1	1/2"Dr	305-445	509	512

WR-9212

1/2" DR. 36T EXTENDABLE SP RATCHET (A GRIP)
437MM-577MM



WR-9358

1/2"DR. 90T EXTENDABLE RATCHET HANDLE 18" - 23-5/8"



WR-9116 / 9116-1 / 9116-2 / 9116-3

9116 3/8" DR.INSULATED TORQUE WRENCH TORQUE : 20-100 NM
Guaranteed Accuracy: $\pm 4\%$;Tool length : 456 mm

9116-1 3/8" DR.INSULATED TORQUE WRENCH TORQUE : 5-25 NM
Guaranteed Accuracy: $\pm 4\%$;Tool length : 370 mm

9116-2 3/8" DR.INSULATED TORQUE WRENCH TORQUE : 40-200 NM
Guaranteed Accuracy: $\pm 4\%$;Tool length : 456 mm

9116-3 3/8" DR.INSULATED TORQUE WRENCH TORQUE : 10-50 NM
Guaranteed Accuracy: $\pm 4\%$;Tool length : 370 mm



E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD