

Kouplus

GT-9587

50W RECHARGEABLE LI-ION BATTERY PLASTIC WELDING AND HOT STAPLER KIT

CONTENT:

- Plastic welding tool, Max. temp. 932 degree F (500 degree C) and protection cap.
 Replacement tip for Plastic welding with stainless pipe guide, Max. Temp. 788 degree F (420 degree C)
- Replacement tip for hot staples, complete to bridge the cracked area together in few seconds
- 12 pcs of plastic welding rods, 150mm in length each rod, including ABS/PP/PE/PS material
- 3 pcs of reinforcing stainless steel wire mesh, 50mmx100mm
- 50 pcs of flat staples, alloy wire 0.8 mm in diameter + 50 pcs of flat staples, alloy wire 0.6 mm in diameter, both not breakable
- USB charging cord set + safety stand

FEATURE & APPLICATION:

- 1. Cordless and lightweight with durable anti-slip rubber grips
- 2. Inbuilt LED light to illuminate soldering area
- 3. Inbuilt safety switch and cap for safety switch
- 4. Ideal for automotive repair soldering and shrinking
- 5. Safe protection for overcharging, over discharging, short circuit and ESD(Electrostatic Discharge)



Working Time (min)	40
Time to start	8 secs
Charging time	3.5hrs
0 0	
Charging cord	100cm USB to Micro-USB
Power	Lithium ion battery (2500mAH)
Max Temperature (°C)	500

BS-9388

PDR 7PCS TAP DOWN & SCRAPER TOOL KIT

- Material: POM < Polyoxymethylene > 1PCS 8-1/4" X 1/1/4" Wedge
- 5PCS TAP DOWN TOOLS • 1pcs 10" chisel scraper
- 1PCS 10" chisel scraper

FEATURES:

- Paintless repairing car dent body, does not damage the original paint.
- Simple operation, repair the dent in quickly.
- Different shape head, which can be used for the different size of dent.
- Easy to control, you can removal the dent by yourself.



PLC-9081

8" FUEL & AC DISCONNECT PLIERS









E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



kauplus

OF-9076A / 9076C

9076A 3/8" DR. 7PCS HEX OIL FILTER WRENCH SET-24/27/29/30/32/36/38MM

- · Oil filter wrenches made of sturdy forged steel
- Hex shape with 3/8" square drive
- Suitable for cartridge oil filter housings with a hex on top
- Wide applications:
- 24 mm BMW / Mini, Chevrolet, Chrysler, Opel 27 mm BMW / Mini, Citroen / Peugeot, Fiat, Ford Europe, Mercedes-Benz, Renault
- 29 mm Dodge Cummins Fuel Filter Housing
- 30 mm Volkswagen Polo and Golf, SEAT Ibiza, and Skoda Fabia with 1.4 16V petrol engines
- 32 mm Audi / Volkswagen, BMW 3 Series E90/ E91, BMW 5 Series E60/E61
- 36 mm Audi / Volkswagen, BMW, Ford F Series, Volvo
- 38 mm Opel / Vauxhall Vectra 2.0 CDTI





GT-9214-1

8PCS WHEEL HANGER SET

- Wheel hangers for hanging tires while changing tires
 a great helper during tire-changing seasons
- Also for stablizing brake discs, preventing brake caliper from wobbling
- Insert the wheel alignment guide tool on the wheel bolt hole first, and hang the wheel and tire without needing to hold the tire in mid air and look for the wheel bolt hole
- Includes M12 × 1.25, M12 × 1.50, M14 × 1.25, M14 × 1.50.
- Two pieces for each size helpful when doing tire rotation



Overall Length	150 mm / 5.9"
Material	S45C steel
Surface treatment	Chrome plating
Hardness	HRC 38-43

For wheel bolts in M12 × P1.25, M12 × 1.50 M14 × P1.25, M14 × 1.50 Can insert a screwdriver or bar to install / remove a wheel hanger

150 mm / 5.9"

BR-9105

BRAKE PIPE STRAIGHTER AND CLAMP SET









E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



6PCS AXIAL PLIER SET



www.kaupa.com.tw

PLC-9030

PLC-9030-1

The W type Axial Plier clamps sheet metals allowing four consecutive spot welds without tool removal.



- For use on door openings, side panels, lap joints and folded sheet metals.
- Jaw Adjustment: 0-10mm
- Length: 200mm

PLC-9030-3

The LL type Axial Plier clamps a single flanged lap joint or butt joint or an adjacent joint.



- · For use on door sills, wheel arches, side panels and folded sheet metals.
- Jaw Adjustment: 0-7mm
- Length: 213mm

PLC-9030-5

The L type Axial Plier clamps a lap joint or butt joint.



- For use on door openings, lower center rear-end parts, wheel arches and problem
- Jaw Adjustment: 0-14.5mm
- Length: 195mm



PLC-9030-2

The JJ Type Axial Plier clamps a double flanged lap joint.



- For use on center rear-end parts, side panels and folded sheet metals
- Jaw Adjustment: 0-6.5mm
- Length: 230mm

PLC-9030-4

The type J Axial Plier clamps a single flanged lap joint or butt joint



- · For use on center rear-end parts, rear side panels and folded sheet metals.
- Jaw Adjustment: 0-10mm
- Length: 210mm



PLC-9030-6

The T type Axial Plier clamps two sheet metal pieces of equal thickness at 90 degrees.



- · Enable easily work by one operator with efficiency.
- Jaw Adjustment: 0-8mm
- · Length: 194mm









E-mail: service@kaupa.com.tw

KAUPA INTERNATIONAL CO.,LTD



SB-9326

1/4" 11PCS MINI RATCHET WRENCH BITS SET



• 10PC - 1/4" BIT 25mmL: H2,H2.5, H3, H4, H5, H6, H8, T10, T25, PH2 • 1PC - 1/4" Mini Ratchet Wrench

SB-9327

3/8" 9PCS TORX PLUS® SOCKET BIT SET -TP10 /TP15/TP20/TP25/TP27/TP30/TP40/TP45/TP50



WR-9375

7PCS RATCHET WRENCH SET 8-10-12-13-14-17-19MM



WR-9376

10MM 72T RATCHETING WRENCH KEYCHAIN WITH KNIFT TIP END







